

REINA



2018



WELCOME TO OUR BROCHURE

Welcome to REINA – the UK's leading supplier of designer radiators and heated towel rails.

Established in 2005 and still privately owned, REINA continues to design and create more products than any other company in this field, constantly leading the trend by combining the latest styles and functionality.

Everyone has their own sense of style and design, and that's why REINA has created a range of products that meets the needs of every interior style.

Whether it is timeless classics to the latest in energy efficient designs, our radiators are now one of the most sought after products here in the UK.

Over the years we have worked to create, no matter what, the perfect home environment when it comes to home heating.

We are driven to understand how the REINA products can transform interiors to meet the new fashion designs for the home and our key criteria are style, desirability, uniqueness, originality and innovation.

REINA adds excitement to the world of heating.

The REINA range of designer models are sure to encompass the perfect design for you, no matter what shape, style or size you are looking for and we will continue to remain at the forefront of designer radiators and towel rails.

ALUMINIUM RADIATORS

Alco Horizontal	9
Alco Vertical	8
Arlec Aluminium Electric Radiator	14
Belva Horizontal	5
Belva Vertical	4
Casina Horizontal	7
Casina Vertical	6
Evie	12
Miray	13
Vicari Horizontal	11
Vicari Vertical	10
MILD STEEL	
Albi	15
Aliano	69
Ancora	32
Arbori	52
Bonera Horizontal	27
Bonera Vertical	26
Borgo	53
Breno	57
Chisa	51
Claro	73
Coneva Horizontal	19
Coneva Vertical	18
Carina	62
Carpi	70
Dimaro	67
Elisa	59
Ella	39
Elvina	48
Elvina2	49
Felino	60
Fiore	36
Flat Horizontal	29
Flat Vertical	28
Florina	54
Fondi	37
Grace	50
Isaro	63
Jesi	72
Lago1 - Lago2	56
Line	33
Marco	61
Matera	58
Mirus	69
Nardo	66
Neva Chrome Horizontal	41
Neva Chrome Vertical	40

Neva Horizontal	21
Neva Vertical	20
Nevah	22
Nola	71
Osimo	42
Palmari	72
Pavia	68
Pienza	43
Polia	38
Porte	45
Reflect	34
Rezzo	46
Rione Double	31
Rione Single	30
Riva	65
Roda	23
Round	24
Sena	25
Serena	68
Serpe	47
Sesia	55
Slimline Horizontal	17
Slimline Vertical	16
Teano	71
Todi	44
Trento	70
Tubes	35
Vasto	64
STAINLESS STEEL RADIATORS	
Adena	91
Adora	83
Arden	92
Artena Single Polished	106
Artena Double Polished	107
Artena Single Brushed	108
Artena Double Brushed	109
Bivano	88
Capelli	84
Cavo	78
Celico	82
Deno	81
Egna	77
Entice	86
Eos Curved	111
Helin	80
Kreon	95
Lovere	85
Luna Flat	110
Mina	93

Nerox Horizontal Double Brushed	103
Nerox Horizontal Single Brushed	102
Nerox Vertical Double Brushed	105
Nerox Vertical Single Brushed	104
Nerox Horizontal Double Polished	99
Nerox Horizontal Single Polished	98
Nerox Vertical Double Polished	101
Nerox Vertical Single Polished	100
Pizzo	97
Ricadi	87
Riesi	94
Rima	76
Scalo	79
Sorento	96
Square	89
Troisi	90

TRADITIONAL RADIATORS

Alicia	75
Camden	74
Oxford	75
Victoria	75

COLUMN RADIATORS

Colona Vertical	112-113
Colona Horizontal	114-115

TOWEL RAILS

Diva Black	118
Diva Chrome	116-117
Diva White	118

INFORMATION

Preface	2
RAL Colours Chart	126
Terms & Conditions	124

ACCESSORIES

Standard Heating Element	123
Thermostatic Heating Element	123
Wireless Programmable Thermostat	123

VALVES

Valves	119-122
--------	---------



white

anthracite



BELVA VERTICAL

Image shown 1800 X 516 double anthracite

DOUBLE SINGLE

	Overall Height mm	Dimension Width mm	Pipe Centres mm	Wall to Pipe Centres mm	Wall Distance mm	Fuel Type	Heat Outputs		RRP PRICES EX.VAT
							Btu	Watts	
DOUBLE	1800	308	308	34	68	C	3882	1138	£220.10
	1800	412	412	34	68	C	5175	1518	£265.80
	1800	516	516	34	68	C	6469	1897	£310.00
	1800	308	308	55	89	C	5978	1753	£320.80
	1800	412	412	55	89	C	7970	2337	£401.50
	1800	516	516	55	89	C	9962	2921	£482.30
SINGLE	900	308	308	34	68	C	1941	569	£110.05
	900	412	412	34	68	C	2587	759	£142.90
	900	516	516	34	68	C	3234	949	£175.00





BELVA HORIZONTAL

Image shown 600 x 1244 double white

SINGLE

DOUBLE

	Overall Height mm	Dimension Width mm	Pipe Centres mm	Wall to Pipe Centres mm	Wall Distance mm	Fuel Type	Heat Outputs		RRP PRICES EX. VAT
							Btu	Watts	
SINGLE	600	412	412	34	68	C/E/D	1726	506	£163.90
	600	620	620	34	68	C/E/D	2588	759	£208.20
	600	828	828	34	68	C/E/D	3450	1012	£251.60
	600	1036	1036	34	68	C/E/D	4312	1265	£295.90
	600	1244	1244	34	68	C/E/D	5175	1518	£339.80
	600	1452	1452	34	68	C/E/D	6038	1771	£383.70
DOUBLE	600	412	412	55	89	C/E/D	2658	779	£220.30
	600	620	620	55	89	C/E/D	3986	1169	£294.10
	600	828	828	55	89	C/E/D	5313	1558	£368.60
	600	1036	1036	55	89	C/E/D	6640	1947	£441.90
	600	1244	1244	55	89	C/E/D	7970	2337	£516.70
	600	1452	1452	55	89	C/E/D	9299	2727	£589.70

This product conforms to European Ecodesign Directive (2009/125/EC) Lot 20 when used with our Thermostatic Element.



Material
Aluminium



5 Year
Guarantee



Next Working
Day Delivery



C: CENTRAL HEATING | E: ELECTRIC | D: DUAL FUEL

For pipe centre measurement including valves add/subtract 90mm accordingly

ALUMINIUM RADIATOR



white

anthracite

CASINA VERTICAL

Image shown 1800 X 565 double anthracite

DOUBLE SINGLE

	Overall Height mm	Dimension Width mm	Pipe Centres mm	Wall to Pipe Centres mm	Wall Distance mm	Fuel Type	Heat Outputs		RRP PRICES EX. VAT
							Btu	Watts	
DOUBLE	1800	280	280	34	65	C	4354	1277	£218.30
	1800	375	375	34	65	C	5806	1703	£265.70
	1800	470	470	34	65	C	7257	2128	£312.40
	1800	565	565	34	65	C	8708	2554	£359.40
	1800	280	280	55	86	C	6706	1967	£337.30
	1800	375	375	55	86	C	8941	2622	£423.10
	1800	470	470	55	86	C	11176	3277	£509.10
	1800	565	565	55	86	C	13410	3933	£593.30





white

anthracite

CASINA HORIZONTAL

Image shown 600 X 1230 double white

SINGLE
DOUBLE

	Overall Height mm	Dimension Width mm	Pipe Centres mm	Wall to Pipe Centres mm	Wall Distance mm	Fuel Type	Heat Outputs		RRP PRICES EX.VAT
							Btu	Watts	
SINGLE	600	470	470	34	65	C/E/D	2420	710	£180.80
	600	660	660	34	65	C/E/D	3388	994	£225.40
	600	850	850	34	65	C/E/D	4356	1277	£270.10
	600	1040	1040	34	65	C/E/D	5322	1561	£314.70
	600	1230	1230	34	65	C/E/D	6290	1845	£359.40
	600	1420	1420	34	65	C/E/D	7259	2129	£404.00
DOUBLE	600	470	470	55	86	C/E/D	3727	1093	£269.00
	600	660	660	55	86	C/E/D	5218	1530	£348.30
	600	850	850	55	86	C/E/D	6708	1967	£427.60
	600	1040	1040	55	86	C/E/D	8196	2403	£506.80
	600	1230	1230	55	86	C/E/D	9687	2841	£586.10
	600	1420	1420	55	86	C/E/D	11179	3278	£660.40

This product conforms to European Ecodesign Directive (2009/125/EC) Lot 20 when used with our Thermostatic Element.



Material
Aluminium



5 Year
Guarantee



Next Working
Day Delivery



C: CENTRAL HEATING | E: ELECTRIC | D:DUAL FUEL
For pipe centre measurement including valves add/subtract 90mm accordingly

ALUMINIUM RADIATOR



ALCO VERTICAL

Image shown 1800 X 520 white

Overall Height mm	Dimension Width mm	Pipe Centres mm	Wall to Pipe Centres mm	Wall Distance mm	Fuel Type	Heat Outputs		RRP PRICES EX.VAT
						Btu	Watts	
1800	280	280	68	116	C	5756	1688	£335.00
1800	400	400	68	116	C	8058	2363	£439.00
1800	520	520	68	116	C	10360	3038	£549.00



white

anthracite



ALCO HORIZONTAL

Image shown 600 X 1180 white

Overall Height mm	Dimension Width mm	Pipe Centres mm	Wall to Pipe Centres mm	Wall Distance mm	Fuel Type	Heat Outputs		RRP PRICES EX. VAT
						Btu	Watts	
600	400	400	68	116	C/E/D	2686	788	£245.00
600	580	580	68	116	C/E/D	3837	1125	£320.00
600	820	820	68	116	C/E/D	5372	1575	£425.00
600	1000	1000	68	116	C/E/D	6523	1913	£499.00
600	1180	1180	68	116	C/E/D	7674	2250	£575.00
600	1420	1420	68	116	C/E/D	9209	2701	£675.00

This product conforms to European Ecodesign Directive (2009/125/EC) Lot 20 when used with our Thermostatic Element.

ALUMINIUM RADIATOR



VICARI VERTICAL

Image shown 1800 X 500 single white

DOUBLE SINGLE

	Overall Height mm	Dimension Width mm	Pipe Centres mm	Wall to Pipe Centres mm	Wall Distance mm	Fuel Type	Heat Outputs		RRP PRICES EX.VAT
							Btu	Watts	
DOUBLE SINGLE	1800	300	300	34	65	C	4639	1360	£217.30
	1800	400	400	34	65	C	6165	1808	£269.40
	1800	500	500	34	65	C	7706	2260	£319.60
	1800	300	300	55	86	C	7144	2095	£336.80
	1800	400	400	55	86	C	9494	2784	£421.50
	1800	500	500	55	86	C	11868	3480	£506.50





VICARI HORIZONTAL

Image shown 600 X 1200 single anthracite

SINGLE

DOUBLE

	Overall Height mm	Dimension Width mm	Pipe Centres mm	Wall to Pipe Centres mm	Wall Distance mm	Fuel Type	Heat Outputs		RRP PRICES EX. VAT
							Btu	Watts	
SINGLE	600	400	400	34	65	C/E/D	2566	752	£155.20
	600	600	600	34	65	C/E/D	3083	904	£202.30
	600	800	800	34	65	C/E/D	4109	1205	£249.10
	600	1000	1000	34	65	C/E/D	5138	1507	£295.80
	600	1200	1200	34	65	C/E/D	6165	1808	£342.50
	600	1400	1400	34	65	C/E/D	7194	2110	£389.30
DOUBLE	600	400	400	55	86	C/E/D	3166	928	£231.30
	600	600	600	55	86	C/E/D	4747	1392	£308.80
	600	800	800	55	86	C/E/D	6329	1856	£387.00
	600	1000	1000	55	86	C/E/D	7913	2321	£464.00
	600	1200	1200	55	86	C/E/D	9494	2784	£542.50
	600	1400	1400	55	86	C/E/D	11078	3249	£619.80

This product conforms to European Ecodesign Directive (2009/125/EC) Lot 20 when used with our Thermostatic Element.



Material
Aluminium



5 Year
Guarantee



Next Working
Day Delivery



C: CENTRAL HEATING | E: ELECTRIC | D: DUAL FUEL

For pipe centre measurement including valves add/subtract 90mm accordingly

ALUMINIUM RADIATOR



EVIE

Image shown 1842 X 400 white

Overall Height mm	Dimension Width mm	Pipe Centres mm	Wall to Pipe Centres mm	Wall Distance mm	Fuel Type	Heat Outputs		RRP PRICES EX.VAT
						Btu	Watts	
1442	240	268	65	115	C	3996	1172	£217.80
1442	320	348	65	115	C	5329	1563	£281.60
1442	400	428	65	115	C	6661	1953	£341.00
1442	480	508	65	115	C	7993	2344	£402.60
1842	240	268	65	115	C	4884	1432	£253.00
1842	320	348	65	115	C	6512	1910	£325.60
1842	400	428	65	115	C	8140	2387	£402.60
1842	480	508	65	115	C	9768	2865	£475.20

white

MIRAY

Image shown 580 X 1200 white

Overall Height mm	Dimension Width mm	Pipe Centres mm	Wall to Pipe Centres mm	Wall Distance mm	Fuel Type	Heat Outputs		RRP PRICES EX.VAT
						Btu	Watts	
430	400	428	75	120	C/E/D	2432	713	£118.80
430	640	668	75	120	C/E/D	3891	1141	£166.10
430	800	828	75	120	C/E/D	4862	1426	£201.30
430	1040	1068	75	120	C/E/D	6323	1854	£248.60
430	1200	1228	75	120	C/E/D	7296	2140	£281.60
580	400	428	75	120	C/E/D	3199	938	£121.00
580	640	668	75	120	C/E/D	5118	1501	£168.30
580	800	828	75	120	C/E/D	6397	1876	£203.50
580	1040	1068	75	120	C/E/D	8317	2439	£253.00
580	1200	1228	75	120	C/E/D	9596	2814	£286.00

This product conforms to European Ecodesign Directive (2009/125/EC) Lot 20 when used with our Thermostatic Element.



Material
Aluminium



5 Year
Guarantee



Next Working
Day Delivery



C: CENTRAL HEATING | E: ELECTRIC | D: DUAL FUEL

For pipe centre measurement including valves add/subtract 90mm accordingly

ALUMINIUM RADIATOR

ARLEC ALUMINIUM ELECTRIC RADIATOR

- Manufactured from Aluminium - Silent Operation
- Choice of output
- Slimline - 54mm deep
- Digital timer display
- Multiple modes - Frost protection. Economy. Comfort
- Remote control
- Wall mounted or floor standing (feet included)
- Plug fitted
- 2 years warranty



white

Image shown 565 X 870 white

Overall Height mm	Dimension Width mm	Depth mm	Fuel Type	Heat Outputs Watts	RRP PRICES EX.VAT
565	414	54	E	700	£189.75
565	490	54	E	900	£212.75
565	642	54	E	1250	£251.85
565	718	54	E	1500	£266.80
565	870	54	E	1800	£299.00

This product conforms to European Ecodesign Directive (2009/125/EC) Comforms Lot 20



MILD STEEL

anthracite

white



Optional Extra : Height adjustable towel bar in chrome finish sold separately

ALBI

Image shown 1790 X 500 white

Overall Height mm	Dimension Width mm	Pipe Centres mm	Wall to Pipe Centres mm	Wall Distance mm	Fuel Type	Heat Outputs		RRP PRICES EX. VAT
						Btu	Watts	
1790	500	50	30-55	62-87	C	4820	1413	£498.96
ALBI TOWEL BAR								£40.00

MILD STEEL



Optional Extra : Height adjustable towel bar in chrome finish sold separately

anthracite

white

page 126 for RAL colours



SLIMLINE VERTICAL


Overall Height mm	Dimension Width mm	Pipe Centres mm	Wall to Pipe Centres mm	Wall Distance mm	Fuel Type	Heat Outputs		RRP PRICES EX. VAT	RAL COLOUR PRICES EX. VAT
						Btu	Watts		
470	300	50	30-55	62-87	C	977	287	£143.00	£193.15
770	300	50	30-55	62-87	C	1605	471	£160.60	£222.00
1170	300	50	30-55	62-87	C	2441	716	£180.40	£256.80
1170	400	50	30-55	62-87	C	3254	954	£207.90	£298.90
1170	500	50	30-55	62-87	C	4066	1192	£225.50	£331.50
1470	300	50	30-55	62-87	C	3069	900	£207.90	£295.50
1470	400	50	30-55	62-87	C	4089	1199	£242.00	£348.00
1470	500	50	30-55	62-87	C	5113	1499	£280.50	£404.90
1770	300	50	30-55	62-87	C	3694	1083	£242.00	£360.69
1770	400	50	30-55	62-87	C	4923	1444	£269.50	£414.70
1770	500	50	30-55	62-87	C	6154	1805	£319.00	£490.78
SLIMLINE CHROME 300/400/500 TOWEL BAR								£33.00	

Image shown 1770 X 500 white





page 126 for RAL colours





SLIMLINE HORIZONTAL

Image shown 600 X 1000 white

Overall Height mm	Dimension Width mm	Pipe Centres mm	Wall to Pipe Centres mm	Wall Distance mm	Fuel Type	Heat Outputs		RRP PRICES EX.VAT	RAL COLOUR PRICES EX.VAT
						Btu	Watts		
600	400	400	30-55	62-87	C	1668	489	£149.60	£212.00
600	600	600	30-55	62-87	C	2506	735	£170.50	£248.00
600	800	800	30-55	62-87	C	3337	979	£202.40	£294.90
600	1000	1000	30-55	62-87	C	4175	1224	£231.00	£338.50
600	1200	1200	30-55	62-87	C	5005	1468	£258.50	£381.00
600	1400	1400	30-55	62-87	C	5843	1713	£291.50	£429.00

MILD STEEL



page 126 for RAL colours



CONEVA VERTICAL

Overall Height mm	Dimension Width mm	Pipe Centres mm	Wall to Pipe Centres mm	Wall Distance mm	Fuel Type	Heat Outputs		RRP PRICES EX. VAT	RAL COLOUR PRICES EX. VAT
						Btu	Watts		
1500	300	300	68	113	C	5031	1475	£183.80	£273.50
1500	370	370	68	113	C	6289	1844	£235.00	£340.80
1500	440	440	68	113	C	8547	2506	£275.70	£397.60
1500	510	510	68	113	C	8803	2582	£322.00	£460.00
1800	300	300	68	113	C	6036	1770	£216.20	£305.90
1800	370	370	68	113	C	7547	2213	£276.00	£381.80
1800	440	440	68	113	C	9055	2655	£324.30	£446.20
1800	510	510	68	113	C	10564	3098	£378.40	£516.40

Image shown 1800 X 440 white





anthracite

white

page 126 for RAL colours



CONEVA HORIZONTAL

Image shown 550 X 790 white

Overall Height mm	Dimension Width mm	Pipe Centres mm	Wall to Pipe Centres mm	Wall Distance mm	Fuel Type	Heat Outputs		RRP PRICES EX. VAT	RAL COLOUR PRICES EX. VAT
						Btu	Watts		
550	440	440	68	113	C/E/D	3233	948	£154.10	£232.30
550	580	580	68	113	C/E/D	4311	1264	£197.80	£294.40
550	790	790	68	113	C/E/D	5928	1738	£262.20	£386.40
550	1000	1000	68	113	C/E/D	7547	2213	£338.10	£489.90
550	1210	1210	68	113	C/E/D	9164	2687	£404.80	£584.20
550	1420	1420	68	113	C/E/D	10781	3162	£520.40	£725.40

This product conforms to European Ecodesign Directive (2009/125/EC) Lot 20 when used with our Thermostatic Element.

MILD STEEL

NEVA VERTICAL SINGLE

Overall Height mm	Dimension Width mm	Pipe Centres mm	Wall to Pipe Centres mm	Wall Distance mm	Fuel Type	Heat Outputs		RRP PRICES EX.VAT	RAL COLOUR PRICES EX.VAT
						Btu	Watts		
1500	236	236	65	103	C	2265	664	£100.00	£173.25
1500	295	295	65	103	C	2816	826	£120.00	£210.00
1500	354	354	65	103	C	3380	991	£140.00	£248.85
1500	413	413	65	103	C	3944	1157	£164.00	£284.55
1500	472	472	65	103	C	4508	1322	£186.00	£323.40
1500	531	531	65	103	C	5070	1487	£206.00	£354.90
1800	236	236	65	103	C	2717	797	£112.00	£194.25
1800	295	295	65	103	C	3380	991	£138.00	£245.70
1800	354	354	65	103	C	4055	1189	£162.00	£284.55
1800	413	413	65	103	C	4732	1388	£186.00	£323.40
1800	472	472	65	103	C	5408	1586	£212.00	£362.25
1800	531	531	65	103	C	6884	2019	£240.00	£400.05

NEVA VERTICAL DOUBLE

Overall Height mm	Dimension Width mm	Pipe Centres mm	Wall to Pipe Centres mm	Wall Distance mm	Fuel Type	Heat Outputs		RRP PRICES EX.VAT	RAL COLOUR EX.VAT
						Btu	Watts		
1500	236	236	65	103	C	3420	1003	£184.00	£280.35
1500	295	295	65	103	C	4252	1247	£232.00	£344.40
1500	354	354	65	103	C	5104	1497	£262.00	£409.50
1500	413	413	65	103	C	5955	1746	£316.00	£468.30
1500	472	472	65	103	C	6807	1996	£340.00	£536.55
1500	531	531	65	103	C	7656	2245	£380.00	£590.10
1800	236	236	65	103	C	4103	1203	£210.00	£329.70
1800	295	295	65	103	C	5104	1497	£254.00	£422.10
1800	354	354	65	103	C	6123	1796	£299.00	£490.35
1800	413	413	65	103	C	7145	2095	£340.00	£562.80
1800	472	472	65	103	C	8166	2395	£390.00	£628.95
1800	531	531	65	103	C	10395	3048	£460.00	£699.30



can be used horizontal (brackets sold separately)

page 126 for RAL colours



white

anthracite

Image shown 1800 X 295 double anthracite



NEVA HORIZONTAL SINGLE

Overall Height mm	Dimension Width mm	Pipe Centres mm	Wall to Pipe Centres mm	Wall Distance mm	Fuel Type	Heat Outputs		RRP PRICES EX. VAT	RAL COLOUR PRICES EX. VAT
						Btu	Watts		
550	413	413	65	103	C/E/D	1447	424	£112.46	£177.45
550	590	590	65	103	C/E/D	2066	606	£145.53	£229.95
550	826	826	65	103	C/E/D	2907	852	£192.94	£302.40
550	1003	1003	65	103	C/E/D	3512	1030	£235.94	£364.35
550	1180	1180	65	103	C/E/D	4131	1211	£274.52	£421.52
550	1416	1416	65	103	C/E/D	4957	1454	£314.40	£490.80

NEVA HORIZONTAL DOUBLE

Overall Height mm	Dimension Width mm	Pipe Centres mm	Wall to Pipe Centres mm	Wall Distance mm	Fuel Type	Heat Outputs		RRP PRICES EX. VAT	RAL COLOUR PRICES EX. VAT
						Btu	Watts		
550	413	413	65	103	C/E/D	2315	679	£148.84	£243.60
550	590	590	65	103	C/E/D	3306	969	£209.48	£336.00
550	826	826	65	103	C/E/D	4651	1364	£292.16	£459.90
550	1003	1003	65	103	C/E/D	5619	1648	£357.21	£556.50
550	1180	1180	65	103	C/E/D	6610	1938	£396.90	£627.90
550	1416	1416	65	103	C/E/D	7931	2326	£564.60	£799.50

Image shown 550 X 1003 double white

This product conforms to European Ecodesign Directive (2009/125/EC)
Lot 20 when used with our Thermostatic Element.

white

anthracite

page 126 for RAL colours



MILD STEEL



NEVAH HORIZONTAL

Image shown 590 X 1000 double white

SINGLE

DOUBLE

Overall Height mm	Dimension Width mm	Pipe Centres mm	Wall to Pipe Centres mm	Wall Distance mm	Fuel Type	Heat Outputs		RRP PRICES EX.VAT	RAL COLOUR EX.VAT
						Btu	Watts		
295	1000	955	47	88	C	1792	526	£98,90	£172,90
295	1200	1155	47	88	C	2110	619	£107,30	£181,30
295	1400	1355	47	88	C	2441	716	£115,60	£189,60
590	600	555	47	88	C/E/D	1665	488	£154,40	£244,40
590	800	755	47	88	C/E/D	1960	575	£165,50	£283,50
590	1000	955	47	88	C/E/D	2310	677	£176,60	£294,60
590	1200	1155	47	88	C/E/D	2722	798	£193,20	£311,20
590	1400	1355	47	88	C/E/D	3176	931	£209,80	£327,80
295	1000	955	63	103	C	2796	820	£160,00	£252,50
295	1200	1155	63	103	C	3292	965	£179,40	£272,00
295	1400	1355	63	103	C	3807	1116	£198,80	£291,40
590	600	555	63	103	C/E/D	2597	762	£253,90	£366,40
590	800	755	63	103	C/E/D	3058	897	£286,60	£399,10
590	1000	955	63	103	C/E/D	3604	1057	£308,80	£421,30
590	1200	1155	63	103	C/E/D	4246	1245	£352,60	£465,10
590	1400	1355	63	103	C/E/D	4954	1453	£444,00	£556,50

This product conforms to European Ecodesign Directive (2009/125/EC) Lot 20 when used with our Thermostatic Element.





anthracite

white

page 126 for RAL colours



RODA HORIZONTAL

Image shown 590 X 1000 double white

DOUBLE SINGLE

Overall Height mm	Dimension Width mm	Pipe Centres mm	Wall to Pipe Centres mm	Wall Distance mm	Fuel Type	Heat Outputs		RRP PRICES EX.VAT	RAL COLOUR EX.VAT
						Btu	Watts		
590	600	555	47	101	C/E/D	2785	817	£154.40	£244.40
590	800	755	47	101	C/E/D	3213	942	£165.50	£283.50
590	1000	955	47	101	C/E/D	3944	1157	£176.60	£294.60
590	1200	1155	47	101	C/E/D	4693	1376	£193.20	£311.20
590	1400	1355	47	101	C/E/D	5476	1606	£209.80	£327.80
590	600	555	82	136	C/E/D	4066	1192	£253.90	£366.40
590	800	755	82	136	C/E/D	4838	1419	£286.60	£399.10
590	1000	955	82	136	C/E/D	5758	1689	£308.80	£421.30
590	1200	1155	82	136	C	6853	2010	£352.60	£465.10
590	1400	1355	82	136	C	7994	2344	£444.00	£556.50

This product conforms to European Ecodesign Directive (2009/125/EC) Lot 20 when used with our Thermostatic Element.

MILD STEEL



page 126 for RAL colours



white

ROUND SINGLE AND DOUBLE

Image shown 1800 X 413 double white

Overall Height mm	Dimension Width mm	Pipe Centres mm	Wall to Pipe Centres mm	Wall Distance mm	Fuel Type	Heat Outputs		RRP PRICES EX.VAT	RAL COLOUR PRICES EX.VAT
						Btu	Watts		
1800	295	295	65	119	C	3521	1033	£160.00	£262.40
1800	413	413	65	119	C	4929	1445	£230.00	£340.30
1800	295	295	65	119	C	5316	1559	£270.00	£430.60
1800	413	413	65	119	C	7443	2183	£390.00	£568.52





page 126 for RAL colours

white



SENA

Image shown 550 X 990 black

Overall Height mm	Dimension Width mm	Pipe Centres mm	Wall to Pipe Centres mm	Wall Distance mm	Fuel Type	Heat Outputs		RRP PRICES EX.VAT	RAL COLOUR EX.VAT
						Btu	Watts		
550	395	395	65	130	C/E/D	1763	517	£120.00	£204.86
550	595	595	65	130	C/E/D	2644	775	£172.00	£271.16
550	790	790	65	130	C/E/D	3526	1034	£224.00	£337.46
550	990	990	65	130	C/E/D	4407	1292	£274.00	£403.76
550	1185	1185	65	130	C/E/D	5288	1551	£330.00	£460.06

This product conforms to European Ecodesign Directive (2009/125/EC) Lot 20 when used with our Thermostatic Element.



C: CENTRAL HEATING | E: ELECTRIC | D:DUAL FUEL
For pipe centre measurement including valves add/subtract 90mm accordingly

MILD STEEL




anthracite white

BONERA VERTICAL

Image shown 1800 X 456 anthracite

Overall Height mm	Dimension Width mm	Pipe Centres mm	Wall to Pipe Centres mm	Wall Distance mm	Fuel Type	Heat Outputs		RRP PRICES EX.VAT
						Btu	Watts	
1800	324	324	65	100	C	3919	1149	£231.84
1800	456	456	65	100	C	5452	1599	£309.12



BONERA HORIZONTAL

Image shown 550 X 984 white

Overall Height mm	Dimension Width mm	Pipe Centres mm	Wall to Pipe Centres mm	Wall Distance mm	Fuel Type	Heat Outputs		RRP PRICES EX.VAT
						Btu	Watts	
550	456	456	65	100	C/E/D	1665	488	£164.22
550	588	588	65	100	C/E/D	2183	640	£210.11
550	852	852	65	100	C/E/D	3217	943	£295.84
550	984	984	65	100	C/E/D	3735	1095	£340.52
550	1248	1284	65	100	C/E/D	4769	1399	£416.59

This product conforms to European Ecodesign Directive (2009/125/EC) Lot 20 when used with our Thermostatic Element.

MILD STEEL


FLAT VERTICAL SINGLE

Overall Height mm	Dimension Width mm	Pipe Centres mm	Wall to Pipe Centres mm	Wall Distance mm	Fuel Type	Heat Outputs		RRP PRICES EX.VAT	RAL COLOUR PRICES EX.VAT
						Btu	Watts		
1600	218	218	39	68	C	2113	620	£109.00	£198.00
1600	292	292	39	68	C	2818	826	£140.00	£233.20
1600	366	366	39	68	C	3522	1033	£170.00	£276.10
1600	440	440	39	68	C	4226	1239	£202.00	£321.20
1600	514	514	39	68	C	4930	1446	£235.00	£360.80
1800	218	218	39	68	C	2378	697	£118.00	£219.45
1800	292	292	39	68	C	3171	930	£149.00	£255.20
1800	366	366	39	68	C	3962	1162	£184.00	£298.10
1800	440	440	39	68	C	4755	1394	£218.00	£339.90
1800	514	514	39	68	C	5549	1627	£252.00	£382.80

FLAT VERTICAL DOUBLE

Overall Height mm	Dimension Width mm	Pipe Centres mm	Wall to Pipe Centres mm	Wall Distance mm	Fuel Type	Heat Outputs		RRP PRICES EX.VAT	RAL COLOUR PRICES EX.VAT
						Btu	Watts		
1600	218	218	64	93	C	2684	787	£188.00	£328.90
1600	292	292	64	93	C	3578	1049	£240.00	£393.80
1600	366	366	64	93	C	4509	1322	£294.00	£462.00
1600	440	440	64	93	C	5509	1616	£345.00	£540.10
1600	514	514	64	93	C	6311	1851	£399.00	£608.30
1800	218	218	64	93	C	3092	907	£204.00	£360.80
1800	292	292	64	93	C	4123	1209	£260.00	£426.80
1800	366	366	64	93	C	5191	1522	£320.00	£495.00
1800	440	440	64	93	C	6230	1827	£370.00	£573.10
1800	514	514	64	93	C	7268	2131	£430.00	£641.30

Image shown 1800 X 440 double white



page 126 for RAL colours



FLAT HORIZONTAL SINGLE

Overall Height mm	Dimension Width mm	Pipe Centres mm	Wall to Pipe Centres mm	Wall Distance mm	Fuel Type	Heat Outputs		RRP PRICES EX.VAT	RAL COLOUR PRICES EX.VAT
						Btu	Watts		
600	440	440	39	68	C/E/D	1661	487	£110.00	£212.30
600	588	588	39	68	C/E/D	2214	649	£140.00	£249.70
600	810	810	39	68	C/E/D	3044	893	£188.00	£315.70
600	1032	1032	39	68	C/E/D	3874	1136	£234.00	£387.20
600	1254	1254	39	68	C/E/D	4704	1379	£280.00	£453.20
600	1402	1402	39	68	C/E/D	5257	1542	£310.00	£496.90

FLAT HORIZONTAL DOUBLE

Overall Height mm	Dimension Width mm	Pipe Centres mm	Wall to Pipe Centres mm	Wall Distance mm	Fuel Type	Heat Outputs		RRP PRICES EX.VAT	RAL COLOUR PRICES EX.VAT
						Btu	Watts		
600	440	440	64	93	C/E/D	2407	706	£160.00	£275.00
600	588	588	64	93	C/E/D	3210	941	£210.00	£347.60
600	810	810	64	93	C/E/D	4413	1294	£280.00	£456.50
600	1032	1032	64	93	C/E/D	5617	1647	£370.00	£567.60
600	1254	1254	64	93	C/E/D	6822	2001	£440.00	£665.50
600	1402	1402	64	93	C/E/D	7824	2294	£485.00	£734.50



page 126 for RAL colours




white

anthracite

Image shown 600 X 1032 double white

This product conforms to European Ecodesign Directive (2009/125/EC) Lot 20 when used with our Thermostatic Element.

MILD STEEL



white

RIONE SINGLE

Image shown 554 X 1200 single white

Overall Height mm	Dimension Width mm	Pipe Centres mm	Wall to Pipe Centres mm	Wall Distance mm	Fuel Type	Heat Outputs		RRP PRICES EX.VAT	RAL COLOUR PRICES EX.VAT
						Btu	Watts		
544	400	355	55	83	C/E/D	1388	407	£135.00	£228.90
544	600	555	55	83	C/E/D	2083	611	£160.00	£253.10
544	800	755	55	83	C/E/D	2777	814	£180.00	£299.64
544	1000	955	55	83	C/E/D	3471	1018	£200.00	£323.80
544	1200	1155	55	83	C/E/D	4167	1222	£230.00	£354.00
544	1400	1355	55	83	C/E/D	4861	1426	£260.00	£388.40

This product conforms to European Ecodesign Directive (2009/125/EC) Lot 20 when used with our Thermostatic Element.



page 126 for RAL colours



white

RIONE DOUBLE

Image shown 554 X 1000 double white

Overall Height mm	Dimension Width mm	Pipe Centres mm	Wall to Pipe Centres mm	Wall Distance mm	Fuel Type	Heat Outputs		RRP PRICES EX.VAT	RAL COLOUR PRICES EX.VAT
						Btu	Watts		
544	400	355	78	107	C/E/D	2110	619	£206.00	£314.80
544	600	555	78	107	C/E/D	3166	928	£250.00	£357.10
544	800	755	78	107	C/E/D	4221	1238	£265.00	£397.90
544	1000	955	78	107	C/E/D	5276	1547	£280.00	£414.80
544	1200	1155	78	107	C	6334	1857	£325.00	£457.60
544	1400	1355	78	107	C	7389	2167	£400.00	£588.60

This product conforms to European Ecodesign Directive (2009/125/EC) Lot 20 when used with our Thermostatic Element.

MILD STEEL



ANCORA

Overall Height mm	Dimension Width mm	Pipe Centres mm	Wall to Pipe Centres mm	Wall Distance mm	Fuel Type	Heat Outputs		RRP PRICES EX.VAT
						Btu	Watts	
1800	490	490	35-55	68-88	C	4946	1450	£438.90





MILD STEEL

white

anthracite

LINE

Overall Height mm	Dimension Width mm	Pipe Centres mm	Wall to Pipe Centres mm	Wall Distance mm	Fuel Type	Heat Outputs		RRP PRICES EX.VAT
						Btu	Watts	
1800	490	490	35-55	68-88	C	5208	1527	£438.90

 Material Steel

 5 Year Guarantee

 Next Working Day Delivery

 EN 442

C: CENTRAL HEATING | E: ELECTRIC | D:DUAL FUEL
For pipe centre measurement including valves add/subtract 90mm accordingly

MILD STEEL



white

black

REFLECT

Overall Height mm	Dimension Width mm	Pipe Centres mm	Wall to Pipe Centres mm	Wall Distance mm	Fuel Type	Heat Outputs		RRP PRICES EX.VAT
						Btu	Watts	
1800	445	445	60	90	C	4560	1337	£287.50





TUBES SINGLE AND DOUBLE

Image shown 1800 X 350 double white

Overall Height mm	Dimension Width mm	Pipe Centres mm	Wall to Pipe Centres mm	Wall Distance mm	Fuel Type	Heat Outputs		RRP PRICES EX.VAT
						Btu	Watts	
1800	350	350	55	85	C	4086	1198	£263.35
1800	350	350	55	85	C	6476	1899	£481.85

MILD STEEL



FIORE

Image shown 1800 X 400 anthracite

Overall Height mm	Dimension Width mm	Pipe Centres mm	Wall to Pipe Centres mm	Wall Distance mm	Fuel Type	Heat Outputs		RRP PRICES EX.VAT
						Btu	Watts	
1790	400	400	35-55	68-88	C	3826	1122	£438.90
1790	490	490	35-55	68-88	C	4862	1426	£469.60
1790	590	590	35-55	68-88	C	5851	1716	£520.70





MILD STEEL

white

anthracite

FONDI

Image shown 1790 X 600 white

Overall Height mm	Dimension Width mm	Pipe Centres mm	Wall to Pipe Centres mm	Wall Distance mm	Fuel Type	Heat Outputs		RRP PRICES EX.VAT
						Btu	Watts	
855	500	50	30-55	62-87	C	2040	598	£299.00
855	600	50	30-55	62-87	C	2351	689	£335.00
1229	500	50	30-55	62-87	C	2901	851	£379.00
1229	600	50	30-55	62-87	C	3330	977	£435.00
1790	500	50	30-55	62-87	C	4185	1227	£475.00
1790	600	50	30-55	62-87	C	4799	1407	£535.00

MILD STEEL



white

anthracite

POLIA

Overall Height mm	Dimension Width mm	Pipe Centres mm	Wall to Pipe Centres mm	Wall Distance mm	Fuel Type	Heat Outputs		RRP PRICES EX.VAT
						Btu	Watts	
400	900	50	30-55	62-87	C	1670	490	£280.00



white


anthracite

ELLA

Overall Height mm	Dimension Width mm	Pipe Centres mm	Wall to Pipe Centres mm	Wall Distance mm	Fuel Type	Heat Outputs		RRP PRICES EX.VAT
						Btu	Watts	
1200	500	50	35-55	68-88	C	3211	942	£327.75

MILD STEEL

chrome



NEVA CHROME

Image shown 1800 X 413 chrome

Overall Height mm	Dimension Width mm	Pipe Centres mm	Wall to Pipe Centres mm	Wall Distance mm	Fuel Type	Heat Outputs		RRP PRICES EX.VAT
						Btu	Watts	
1800	295	295	47	88	C	2534	743	£264.00
1800	354	354	47	88	C	3041	892	£306.90
1800	413	413	47	88	C	3547	1040	£346.50



chrome

NEVA CHROME

Image shown 550 X 826 chrome

Overall Height mm	Dimension Width mm	Pipe Centres mm	Wall to Pipe Centres mm	Wall Distance mm	Fuel Type	Heat Outputs		RRP PRICES EX.VAT
						Btu	Watts	
550	413	413	47	88	C/E/D	1084	318	£163.90
550	590	590	47	88	C/E/D	1547	454	£205.70
550	826	826	47	88	C/E/D	2159	633	£262.90
550	1003	1003	47	88	C/E/D	2457	721	£304.70
550	1180	1180	47	88	C/E/D	2853	837	£346.50

This product conforms to European Ecodesign Directive (2009/125/EC) Lot 20 when used with our Thermostatic Element.

MILD STEEL



chrome

OSIMO

Image shown 1800 X 290 chrome

Overall Height mm	Dimension Width mm	Pipe Centres mm	Wall to Pipe Centres mm	Wall Distance mm	Fuel Type	Heat Outputs		RRP PRICES EX.VAT
						Btu	Watts	
1800	290	290	61-76	105-120	C	2602	763	£330.00
1800	430	430	61-76	105-120	C	3780	1109	£470.00
1800	570	570	61-76	105-120	C	5027	1474	£580.00





Pipe sleeving kit shown is for illustration purposes only (sold separately)
This product conforms to European Ecodesign Directive (2009/125/EC) Lot 20 when used with our Thermostatic Element.

PIENZA

Image shown 550 X 995 chrome

Overall Height mm	Dimension Width mm	Pipe Centres mm	Wall to Pipe Centres mm	Wall Distance mm	Fuel Type	Heat Outputs		RRP PRICES EX.VAT
						Btu	Watts	
550	485	485	61-76	105-120	C/E/D	1341	393	£283.76
550	655	655	61-76	105-120	C/E/D	1789	525	£319.99
550	825	825	61-76	105-120	C/E/D	2237	656	£356.21
550	995	995	61-76	105-120	C/E/D	2683	787	£392.44
550	1165	1165	61-76	105-120	C/E/D	3131	918	£428.66

MILD STEEL



chrome

TODI

Image shown 1200 X 260 chrome

Overall Height mm	Dimension Width mm	Pipe Centres mm	Wall to Pipe Centres mm	Wall Distance mm	Fuel Type	Heat Outputs		RRP PRICES EX.VAT
						Btu	Watts	
800	108	78	65-80	100-115	C/E/D	435	128	£175.30
1200	108	78	65-80	100-115	C/E/D	640	188	£190.70
800	260	230	65-80	100-115	C/E/D	884	259	£276.40
1200	260	230	65-80	100-115	C/E/D	1293	379	£293.20

This product conforms to European Ecodesign Directive (2009/125/EC) Lot 20 when used with our Thermostatic Element.





MILD STEEL

chrome

PORTE

Overall Height mm	Dimension Width mm	Pipe Centres mm	Wall to Pipe Centres mm	Wall Distance mm	Fuel Type	Heat Outputs		RRP PRICES EX.VAT
						Btu	Watts	
1200	500	470	65-80	80-95	C/E/D	1973	579	£399.00

This product conforms to European Ecodesign Directive (2009/125/EC) Lot 20 when used with our Thermostatic Element.



Material
Steel

5 Year
Guarantee



Next Working
Day Delivery



C: CENTRAL HEATING | E: ELECTRIC | D:DUAL FUEL 45

MILD STEEL



chrome



REZZO

Image shown 1460 X 550 chrome

Overall Height mm	Dimension Width mm	Pipe Centres mm	Wall to Pipe Centres mm	Wall Distance mm	Fuel Type	Heat Outputs		RRP PRICES EX.VAT
						Btu	Watts	
740	450	420	65-80	80-95	C/E/D	900	264	£169.00
1100	450	420	65-80	80-95	C/E/D	1270	372	£205.00
1460	450	420	65-80	80-95	C/E/D	1651	484	£249.00
740	550	520	65-80	80-95	C/E/D	959	281	£175.00
1100	550	520	65-80	80-95	C/E/D	1352	396	£215.00
1460	550	520	65-80	80-95	C/E/D	1758	516	£259.00

This product conforms to European Ecodesign Directive (2009/125/EC) Lot 20 when used with our Thermostatic Element.





MILD STEEL

chrome

SERPE

Image shown 510 X 500 chrome

Overall Height mm	Dimension Width mm	Pipe Centres mm	Wall to Pipe Centres mm	Wall Distance mm	Fuel Type	Heat Outputs		RRP PRICES EX.VAT
						Btu	Watts	
270	500	500	65-80	80-95	C/E/D	567	166	£240.00
510	500	500	65-80	80-95	C/E/D	970	284	£299.00

This product conforms to European Ecodesign Directive (2009/125/EC) Lot 20 when used with our Thermostatic Element.



MILD STEEL



ELVINA

Overall Height mm	Dimension Width mm	Pipe Centres mm	Wall to Pipe Centres mm	Wall Distance mm	Fuel Type	Heat Outputs		RRP PRICES EX.VAT
						Btu	Watts	
350	500	470	70-85	305-320	C	908	266	£260.00





MILD STEEL

chrome

ELVINA2

Overall Height mm	Dimension Width mm	Pipe Centres mm	Wall to Pipe Centres mm	Wall Distance mm	Fuel Type	Heat Outputs		RRP PRICES EX.VAT
						Btu	Watts	
1000	500	470	70-85	305-320	C/E/D	1346	395	£349.00

This product conforms to European Ecodesign Directive (2009/125/EC) Lot 20 when used with our Thermostatic Element.

MILD STEEL



GRACE CHROME

Image shown 1140 X 500 chrome

Overall Height mm	Dimension Width mm	Pipe Centres mm	Wall to Pipe Centres mm	Wall Distance mm	Fuel Type	Heat Outputs		RRP PRICES EX.VAT
						Btu	Watts	
780	500	100	61-76	102-117	C/E/D	1210	355	£249.50
1140	500	100	61-76	102-117	C/E/D	1710	501	£315.20

GRACE ANTHRACITE AND WHITE

can be mounted left or right hand side

Overall Height mm	Dimension Width mm	Pipe Centres mm	Wall to Pipe Centres mm	Wall Distance mm	Fuel Type	Heat Outputs		RRP PRICES EX.VAT	RAL COLOUR PRICES EX.VAT
						Btu	Watts		
780	500	100	61-76	102-117	C/E/D	1419	416	£125.00	£213.90
1140	500	100	61-76	102-117	C/E/D	2023	593	£175.00	£286.20

This product conforms to European Ecodesign Directive (2009/125/EC) Lot 20 when used with our Thermostatic Element.



page 126 for RAL colours



chrome

anthracite

white

CHISA CHROME

Image shown 1130 X 500 chrome

Overall Height mm	Dimension Width mm	Pipe Centres mm	Wall to Pipe Centres mm	Wall Distance mm	Fuel Type	Heat Outputs		RRP PRICES EX.VAT
						Btu	Watts	
820	500	100	61-76	102-117	C/E/D	1419	416	£290.20
1130	500	100	61-76	102-117	C/E/D	2021	593	£340.90


CHISA ANTHRACITE AND WHITE

can be mounted left or right hand side

Overall Height mm	Dimension Width mm	Pipe Centres mm	Wall to Pipe Centres mm	Wall Distance mm	Fuel Type	Heat Outputs		RRP PRICES EX.VAT	RAL COLOUR PRICES EX.VAT
						Btu	Watts		
820	500	100	61-76	102-117	C/E/D	1815	532	£150.00	£244.60
1130	500	100	61-76	102-117	C/E/D	2418	709	£210.00	£334.10

This product conforms to European Ecodesign Directive (2009/125/EC) Lot 20 when used with our Thermostatic Element.

MILD STEEL



page 126 for RAL colours



chrome

anthracite

white



ARBORI CHROME

Image shown 1510 X 500 chrome

Overall Height mm	Dimension Width mm	Pipe Centres mm	Wall to Pipe Centres mm	Wall Distance mm	Fuel Type	Heat Outputs		RRP PRICES EX.VAT
						Btu	Watts	
820	500	450	61-76	102-117	C/E/D	1499	440	£254.66
1130	500	450	61-76	102-117	C/E/D	2021	593	£301.00
1510	500	450	61-76	102-117	C/E/D	2688	788	£358.90

ARBORI WHITE AND ANTHRACITE

Overall Height mm	Dimension Width mm	Pipe Centres mm	Wall to Pipe Centres mm	Wall Distance mm	Fuel Type	Heat Outputs		RRP PRICES EX.VAT	RAL COLOUR PRICES EX.VAT
						Btu	Watts		
820	500	450	61-76	102-117	C/E/D	1815	532	£120.00	£224.60
1130	500	450	61-76	102-117	C/E/D	2418	709	£160.00	£292.40
1510	500	450	61-76	102-117	C/E/D	3227	946	£210.00	£364.20

This product conforms to European Ecodesign Directive (2009/125/EC) Lot 20 when used with our Thermostatic Element.



MILD STEEL

chrome

BORGO

Image shown 1300 X 500 chrome

Overall Height mm	Dimension Width mm	Pipe Centres mm	Wall to Pipe Centres mm	Wall Distance mm	Fuel Type	Heat Outputs		RRP PRICES EX.VAT
						Btu	Watts	
814	500	50	61-76	165-180	C/E/D	1989	583	£299.00
1300	500	50	61-76	165-180	C/E/D	2838	832	£399.00

This product conforms to European Ecodesign Directive (2009/125/EC) Lot 20 when used with our Thermostatic Element.

MILD STEEL



Can be mounted left or right hand side



chrome

FLORINA CHROME

Image shown 1235 X 500 chrome

Overall Height mm	Dimension Width mm	Pipe Centres mm	Wall to Pipe Centres mm	Wall Distance mm	Fuel Type	Heat Outputs		RRP PRICES EX.VAT
						Btu	Watts	
800	500	100	70-85	105-120	C/E/D	1526	448	£230.00
1235	500	100	70-85	105-120	C/E/D	2315	679	£330.00
1525	500	100	70-85	105-120	C/E/D	3016	884	£440.00

This product conforms to European Ecodesign Directive (2009/125/EC) Lot 20 when used with our Thermostatic Element.



Can be mounted left or right hand side



MILD STEEL

chrome

SEZIA

Image shown 1500 X 500 chrome

Overall Height mm	Dimension Width mm	Pipe Centres mm	Wall to Pipe Centres mm	Wall Distance mm	Fuel Type	Heat Outputs		RRP PRICES EX.VAT
						Btu	Watts	
860	500	100	70-85	105-120	C/E/D	1938	568	£299.00
1180	500	100	70-85	105-120	C/E/D	2539	745	£370.00
1500	500	100	70-85	105-120	C/E/D	3326	975	£480.00

This product conforms to European Ecodesign Directive (2009/125/EC) Lot 20 when used with our Thermostatic Element.

MILD STEEL



chrome

LAGO 1


Image shown 450 X 600 chrome lago 1

Overall Height mm	Dimension Width mm	Pipe Centres mm	Wall to Pipe Centres mm	Wall Distance mm	Fuel Type	Heat Outputs		RRP PRICES EX.VAT
						Btu	Watts	
450	600	420	65-75	80-90	C/E/D	795	233	£155.00

LAGO 2

Overall Height mm	Dimension Width mm	Pipe Centres mm	Wall to Pipe Centres mm	Wall Distance mm	Fuel Type	Heat Outputs		RRP PRICES EX.VAT
						Btu	Watts	
450	600	420	65-75	80-90	C/E/D	998	293	£168.00

This product conforms to European Ecodesign Directive (2009/125/EC) Lot 20 when used with our Thermostatic Element.



chrome

BRENO

Overall Height mm	Dimension Width mm	Pipe Centres mm	Wall to Pipe Centres mm	Wall Distance mm	Fuel Type	Heat Outputs		RRP PRICES EX.VAT
						Btu	Watts	
350	700	50	60-70	70-80	C	802	235	£258.75



Material Steel

5 Year Guarantee



Next Working Day Delivery



MILD STEEL



chrome



Can be mounted left or right hand side

MATERA


Image shown 998 X 500 chrome

Overall Height mm	Dimension Width mm	Pipe Centres mm	Wall to Pipe Centres mm	Wall Distance mm	Fuel Type	Heat Outputs		RRP PRICES EX. VAT
						Btu	Watts	
722	500	100	61-76	110-125	C/E/D	1248	366	£225.00
998	500	100	61-76	110-125	C/E/D	1684	494	£270.00
1412	500	100	61-76	110-125	C/E/D	2337	685	£340.00

This product conforms to European Ecodesign Directive (2009/125/EC) Lot 20 when used with our Thermostatic Element.



Can be mounted left or right hand side



MILD STEEL

chrome

ELISA

Image shown 1550 X 500 chrome

Overall Height mm	Dimension Width mm	Pipe Centres mm	Wall to Pipe Centres mm	Wall Distance mm	Fuel Type	Heat Outputs		RRP PRICES EX. VAT
						Btu	Watts	
1000	500	100	62-82	100-120	C/E/D	2269	665	£235.00
1550	500	100	62-82	100-120	C/E/D	3481	1021	£380.00

This product conforms to European Ecodesign Directive (2009/125/EC) Lot 20 when used with our Thermostatic Element.

MILD STEEL

chrome



FELINO

Image shown 1200 X 500 chrome

Overall Height mm	Dimension Width mm	Pipe Centres mm	Wall to Pipe Centres mm	Wall Distance mm	Fuel Type	Heat Outputs		RRP PRICES EX.VAT
						Btu	Watts	
775	500	100	70-85	107-122	C/E/D	1918	562	£299.00
1200	500	100	70-85	107-122	C/E/D	2770	812	£380.00

This product conforms to European Ecodesign Directive (2009/125/EC) Lot 20 when used with our Thermostatic Element.

chrome



MARCO

Image shown 1100 X 500 chrome

Overall Height mm	Dimension Width mm	Pipe Centres mm	Wall to Pipe Centres mm	Wall Distance mm	Fuel Type	Heat Outputs		RRP PRICES EX.VAT
						Btu	Watts	
800	500	468	61-76	137-152	C/E/D	1623	476	£243.80
1100	500	468	61-76	137-152	C/E/D	2212	649	£315.10
1400	500	468	61-76	137-152	C/E/D	2683	787	£404.80

This product conforms to European Ecodesign Directive (2009/125/EC) Lot 20 when used with our Thermostatic Element.



Material
Steel

5 Year
Guarantee

Next Working
Day Delivery



C: CENTRAL HEATING | E: ELECTRIC | D:DUAL FUEL

MILD STEEL



CARINA

Image shown 1200 X 500 chrome

Overall Height mm	Dimension Width mm	Pipe Centres mm	Wall to Pipe Centres mm	Wall Distance mm	Fuel Type	Heat Outputs		RRP PRICES EX.VAT
						Btu	Watts	
800	500	470	70-85	107-122	C/E/D	1918	562	£260.00
1200	500	470	70-85	107-122	C/E/D	2770	812	£330.00

This product conforms to European Ecodesign Directive (2009/125/EC) Lot 20 when used with our Thermostatic Element.



chrome

ISARO

Image shown 800 X 500 chrome

Overall Height mm	Dimension Width mm	Pipe Centres mm	Wall to Pipe Centres mm	Wall Distance mm	Fuel Type	Heat Outputs		RRP PRICES EX.VAT
						Btu	Watts	
800	300	268	61-76	137-152	C/E/D	1121	329	£199.00
1100	300	268	61-76	137-152	C/E/D	1527	448	£245.00
800	500	468	61-76	137-152	C/E/D	1614	473	£210.00
1100	500	468	61-76	137-152	C/E/D	2145	629	£260.00

This product conforms to European Ecodesign Directive (2009/125/EC) Lot 20 when used with our Thermostatic Element.



MILD STEEL

chrome



VASTO

Image shown 1460 X 500 chrome

Overall Height mm	Dimension Width mm	Pipe Centres mm	Wall to Pipe Centres mm	Wall Distance mm	Fuel Type	Heat Outputs		RRP PRICES EX.VAT
						Btu	Watts	
755	500	470	65-80	80-95	C/E/D	1461	428	£214.50
1130	500	470	65-80	80-95	C/E/D	2193	643	£264.00
1460	500	470	65-80	80-95	C/E/D	2884	846	£325.60

This product conforms to European Ecodesign Directive (2009/125/EC) Lot 20 when used with our Thermostatic Element.



MILD STEEL

chrome

RIVA

Image shown 1300 X 500 chrome

Overall Height mm	Dimension Width mm	Pipe Centres mm	Wall to Pipe Centres mm	Wall Distance mm	Fuel Type	Heat Outputs		RRP PRICES EX.VAT
						Btu	Watts	
620	500	440	70-85	85-100	C/E/D	1490	437	£220.00
960	500	440	70-85	85-100	C/E/D	2300	674	£270.00
1300	500	440	70-85	85-100	C/E/D	3225	946	£340.00

This product conforms to European Ecodesign Directive (2009/125/EC) Lot 20 when used with our Thermostatic Element.

MILD STEEL



chrome

NARDO

Image shown 1200 X 550 chrome

Overall Height mm	Dimension Width mm	Pipe Centres mm	Wall to Pipe Centres mm	Wall Distance mm	Fuel Type	Heat Outputs		RRP PRICES EX.VAT
						Btu	Watts	
813	450	418	61-76	77-92	C/E/D	959	281	£249.00
1200	450	418	61-76	77-92	C/E/D	1320	387	£299.00
813	550	518	61-76	77-92	C/E/D	1080	317	£270.00
1200	550	518	61-76	77-92	C/E/D	1476	433	£335.00

This product conforms to European Ecodesign Directive (2009/125/EC) Lot 20 when used with our Thermostatic Element.





MILD STEEL

chrome

DIMARO

Image shown 1760 X 620 chrome

Overall Height mm	Dimension Width mm	Pipe Centres mm	Wall to Pipe Centres mm	Wall Distance mm	Fuel Type	Heat Outputs		RRP PRICES EX.VAT
						Btu	Watts	
1760	620	620	61-76	99-114	C	4450	1305	£449.00



C: CENTRAL HEATING | E: ELECTRIC | D:DUAL FUEL
For pipe centre measurement including valves add/subtract 90mm accordingly



SERENA


Overall Height mm	Dimension Width mm	Pipe Centres mm	Wall to Pipe Centres mm	Wall Distance mm	Fuel Type	Heat Outputs		RRP PRICES EX.VAT
						Btu	Watts	
800	300	270	70-90	85-105	C/E/D	730	214	£161.15
1200	300	270	70-90	85-105	C/E/D	1097	322	£206.80
500	500	470	70-90	85-105	C/E/D	767	225	£138.60
800	500	470	70-90	85-105	C/E/D	1218	357	£174.90
1200	500	470	70-90	85-105	C/E/D	1828	536	£218.90



LOGE
Angled Chrome Valve
£22.00

This product conforms to European Ecodesign Directive (2009/125/EC)
Lot 20 when used with our Thermostatic Element.

Valves sold separately
Image shown 1200 X 500 chrome



PAVIA

Overall Height mm	Dimension Width mm	Pipe Centres mm	Wall to Pipe Centres mm	Wall Distance mm	Fuel Type	Heat Outputs		RRP PRICES EX.VAT
						Btu	Watts	
800	500	455	40-60	80-100	C/E/D	1468	430	£140.25
1200	500	455	40-60	80-100	C/E/D	2243	658	£182.60
1650	500	455	40-60	80-100	C/E/D	3312	971	£259.88
800	600	555	40-60	80-100	C/E/D	1664	488	£150.70
1200	600	555	40-60	80-100	C/E/D	2499	733	£195.80
1650	600	555	40-60	80-100	C/E/D	3628	1064	£276.05



Portland
Chrome Straight Valve
£16.50

This product conforms to European Ecodesign Directive (2009/125/EC)
Lot 20 when used with our Thermostatic Element.

Valves sold separately
Image shown 1200 X 500 chrome





ALIANO

Overall Height mm	Dimension Width mm	Pipe Centres mm	Wall to Pipe Centres mm	Wall Distance mm	Fuel Type	Heat Outputs		RRP PRICES EX.VAT
						Btu	Watts	
500	500	468	61-76	137-152	C/E/D	706	207	£145.00
1000	500	468	61-76	137-152	C/E/D	1413	414	£230.00



Crova
Chrome Corner Valve

£27.50

This product conforms to European Ecodesign Directive (2009/125/EC)
Lot 20 when used with our Thermostatic Element.

Valves sold separately
Image shown 1000 X 500 chrome



MIRUS

Overall Height mm	Dimension Width mm	Pipe Centres mm	Wall to Pipe Centres mm	Wall Distance mm	Fuel Type	Heat Outputs		RRP PRICES EX.VAT
						Btu	Watts	
900	500	300	71-91	175-195	C/E/D	1727	506	£248.33
1200	500	300	71-91	175-195	C/E/D	2229	654	£299.15



Portland
Angled Chrome Valve

£16.50

This product conforms to European Ecodesign Directive (2009/125/EC)
Lot 20 when used with our Thermostatic Element.

Valves sold separately
Image shown 1200 X 500 chrome



CARPI

Overall Height mm	Dimension Width mm	Pipe Centres mm	Wall to Pipe Centres mm	Wall Distance mm	Fuel Type	Heat Outputs		RRP PRICES EX.VAT
						Btu	Watts	
800	300	268	61-76	77-92	C/E/D	1145	336	£179.03
1200	300	268	61-76	77-92	C/E/D	1659	487	£213.68
800	400	368	61-76	77-92	C/E/D	1526	448	£184.80
1200	400	368	61-76	77-92	C/E/D	2212	649	£219.45
950	500	468	61-76	77-92	C/E/D	1908	560	£207.90
1300	500	468	61-76	77-92	C/E/D	2912	854	£254.10



LOGE
Straight Chrome Valve
£22.00

This product conforms to European Ecodesign Directive (2009/125/EC)
Lot 20 when used with our Thermostatic Element.

Valves sold separately
Image shown 1300 X 500 chrome



TRENTO

Overall Height mm	Dimension Width mm	Pipe Centres mm	Wall to Pipe Centres mm	Wall Distance mm	Fuel Type	Heat Outputs		RRP PRICES EX.VAT
						Btu	Watts	
950	500	440	61-76	97-112	C/E/D	2337	685	£277.20
1300	500	440	61-76	97-112	C/E/D	3357	984	£345.35



Portland
Chrome Angled Valve
£16.50

This product conforms to European Ecodesign Directive (2009/125/EC)
Lot 20 when used with our Thermostatic Element.

Valves sold separately
Image shown 1300 X 500 chrome



NOLA

Overall Height mm	Dimension Width mm	Pipe Centres mm	Wall to Pipe Centres mm	Wall Distance mm	Fuel Type	Heat Outputs		RRP PRICES EX.VAT
						Btu	Watts	
1400	600	110	78-93	148-163	C/E/D	3160	927	£398.48



Portland
Chrome Angled Valve

£16.50

This product conforms to European Ecodesign Directive (2009/125/EC)
Lot 20 when used with our Thermostatic Element.

Valves sold separately
Can be mounted left or right hand side



TEANO

Overall Height mm	Dimension Width mm	Pipe Centres mm	Wall to Pipe Centres mm	Wall Distance mm	Fuel Type	Heat Outputs		RRP PRICES EX.VAT
						Btu	Watts	
1300	600	100	78-93	148-163	C/E/D	2889	847	£421.58



MODAL TRV
Angled Chrome Valve

£33.00

This product conforms to European Ecodesign Directive (2009/125/EC)
Lot 20 when used with our Thermostatic Element.

Valves sold separately
Image shown 1300 X 600 chrome



PALMARI

Overall Height mm	Dimension Width mm	Pipe Centres mm	Wall to Pipe Centres mm	Wall Distance mm	Fuel Type	Heat Outputs		RRP PRICES EX.VAT
						Btu	Watts	
900	500	100	70-90	95-115	C/E/D	1109	325	£195.00



Portland
Chrome Straight Valve
£16.50

This product conforms to European Ecodesign Directive (2009/125/EC)
Lot 20 when used with our Thermostatic Element.

Valves sold separately
Can be mounted left or right hand side



JESI

Overall Height mm	Dimension Width mm	Pipe Centres mm	Wall to Pipe Centres mm	Wall Distance mm	Fuel Type	Heat Outputs		RRP PRICES EX.VAT
						Btu	Watts	
1000	500	75	29-44	64-79	CF	1135	333	£202.13
1400	600	75	29-44	64-79	C	1743	511	£252.95



MODAL TRV
Angled Chrome Valve
£33.00

Image shown 1400 X 600 chrome
Can be mounted left or right hand side

Valves sold separately
Can be mounted left or right hand side





CLARO

Overall Height mm	Dimension Width mm	Pipe Centres mm	Wall to Pipe Centres mm	Wall Distance mm	Fuel Type	Heat Outputs		RRP PRICES EX.VAT
						Btu	Watts	
900	300	100	41	310	C/E/D	1547	454	£231.00
1200	300	100	41	310	C/E/D	2139	627	£288.75
1600	300	100	41	310	C/E/D	2788	818	£358.05



MODAL TRV
Angled Chrome Valve

£33.00




Portland
Chrome Angled Valve

£16.50

This product conforms to European Ecodesign Directive (2009/125/EC)
Lot 20 when used with our Thermostatic Element.

Valves sold separately
Image shown 1200 X 300 chrome



CAMDEN

Overall Height mm	Dimension Width mm	Pipe Centres mm	Wall to Pipe Centres mm	Wall Distance mm	Fuel Type	Heat Outputs		RRP PRICES EX.VAT
						Btu	Watts	
508	680	680	50	230	C	2427	712	£231.00
508	770	770	50	230	C	3013	884	£247.50

Image shown 508 X 770 white





VICTORIA


Overall Height mm	Dimension Width mm	Pipe Centres mm	Wall to Pipe Centres mm	Wall Distance mm	Fuel Type	Heat Outputs		RRP PRICES EX.VAT
						Btu	Watts	
960	675	528	92	230	C	5452	1599	£273.90



Bronte
Traditional Angled Valve

£26.50

Valves sold separately



OXFORD

Overall Height mm	Dimension Width mm	Pipe Centres mm	Wall to Pipe Centres mm	Wall Distance mm	Fuel Type	Heat Outputs		RRP PRICES EX.VAT
						Btu	Watts	
960	538	393	134	175	C	4105	1204	£273.90



Bronte
Traditional Angled Valve

£26.50

Valves sold separately



ALICIA

Overall Height mm	Dimension Width mm	Pipe Centres mm	Wall to Pipe Centres mm	Wall Distance mm	Fuel Type	Heat Outputs		RRP PRICES EX.VAT
						Btu	Watts	
952	479	348	92	230	C	3431	1006	£273.90



Bronte
Traditional Angled Valve

£26.50

Valves sold separately

STAINLESS STEEL



polished

RIMA

Image shown 1500 X 500 chrome

Overall Height mm	Dimension Width mm	Pipe Centres mm	Wall to Pipe Centres mm	Wall Distance mm	Fuel Type	Heat Outputs		RRP PRICES EX.VAT
						Btu	Watts	
780	500	50	105-120	140-155	C	1487	436	£483.50
1020	500	50	105-120	140-155	C	1983	582	£574.60
1260	500	50	105-120	140-155	C	2478	727	£676.80
1500	500	50	105-120	140-155	C	2974	872	£776.20





EGNA

Image shown 1495 X 500 polished

Overall Height mm	Dimension Width mm	Pipe Centres mm	Wall to Pipe Centres mm	Wall Distance mm	Fuel Type	Heat Outputs		RRP PRICES EX.VAT
						Btu	Watts	
775	500	50	80-95	95-110	C	1341	393	£393.80
1255	500	50	80-95	95-110	C	2420	710	£550.00
1495	500	50	80-95	95-110	C	2959	868	£650.00



Material
Stainless Steel

25

Year
Guarantee



Next Working
Day Delivery



STAINLESS STEEL



polished

brushed



Can be mounted left or right hand side

CAVO

Image shown 1230 X 500 polished

Overall Height mm	Dimension Width mm	Pipe Centres mm	Wall to Pipe Centres mm	Wall Distance mm	Fuel Type	Heat Outputs		RRP PRICES EX.VAT
						Btu	Watts	
530	500	50	60-75	100-115	C/E/D	985	289	£250.00
880	500	50	60-75	100-115	C/E/D	1526	448	£340.00
1230	500	50	60-75	100-115	C/E/D	1929	566	£420.00
1580	500	50	60-75	100-115	C/E/D	2722	798	£580.00

This product conforms to European Ecodesign Directive (2009/125/EC) Lot 20 when used with our Thermostatic Element.





STAINLESS STEEL

SCALO

Image shown 1535 X 500 polished

Overall Height mm	Dimension Width mm	Pipe Centres mm	Wall to Pipe Centres mm	Wall Distance mm	Fuel Type	Heat Outputs		RRP PRICES EX.VAT
						Btu	Watts	
826	500	50	60-75	100-115	C/E/D	2045	600	£380.00
1120	500	50	60-75	100-115	C/E/D	2863	840	£550.00
1535	500	50	60-75	100-115	C/E/D	3688	1082	£690.00

This product conforms to European Ecodesign Directive (2009/125/EC) Lot 20 when used with our Thermostatic Element.

STAINLESS STEEL



polished

HELIN

Image shown 1120 X 500 polished

Overall Height mm	Dimension Width mm	Pipe Centres mm	Wall to Pipe Centres mm	Wall Distance mm	Fuel Type	Heat Outputs		RRP PRICES EX.VAT
						Btu	Watts	
826	500	450	60-75	100-115	C/E/D	2045	600	£320.00
1120	500	450	60-75	100-115	C/E/D	2863	840	£420.00
1535	500	450	60-75	100-115	C/E/D	3688	1082	£550.00

This product conforms to European Ecodesign Directive (2009/125/EC) Lot 20 when used with our Thermostatic Element.





STAINLESS STEEL

polished

brushed

DENO

Image shown 1488 X 500 polished

Overall Height mm	Dimension Width mm	Pipe Centres mm	Wall to Pipe Centres mm	Wall Distance mm	Fuel Type	Heat Outputs		RRP PRICES EX.VAT
						Btu	Watts	
496	500	450	60-75	100-115	C/E/D	850	249	£209.00
992	500	450	60-75	100-115	C/E/D	1648	483	£368.50
1488	500	450	60-75	100-115	C/E/D	2269	665	£511.50

This product conforms to European Ecodesign Directive (2009/125/EC) Lot 20 when used with our Thermostatic Element.



Material
Stainless Steel

25

Year
Guarantee



Next Working
Day Delivery




EURO NORM
442

C: CENTRAL HEATING | E: ELECTRIC | D:DUAL FUEL

STAINLESS STEEL



Can be mounted left or right hand side



CELICO

Image shown 1000 X 500 polished

Overall Height mm	Dimension Width mm	Pipe Centres mm	Wall to Pipe Centres mm	Wall Distance mm	Fuel Type	Heat Outputs		RRP PRICES EX.VAT
						Btu	Watts	
585	500	50	80-95	125-140	C/E/D	1044	306	£260.00
1000	500	50	80-95	125-140	C/E/D	2088	612	£360.00
1415	500	50	80-95	125-140	C/E/D	2954	866	£530.00

This product conforms to European Ecodesign Directive (2009/125/EC) Lot 20 when used with our Thermostatic Element.





STAINLESS STEEL

polished

Can be mounted left or right hand side

ADORA

Image shown 1106 X 500 polished

Overall Height mm	Dimension Width mm	Pipe Centres mm	Wall to Pipe Centres mm	Wall Distance mm	Fuel Type	Heat Outputs		RRP PRICES EX.VAT
						Btu	Watts	
800	500	50	80-95	125-140	C/E/D	2723	799	£480.00
1106	500	50	80-95	125-140	C/E/D	3632	1065	£650.00

This product conforms to European Ecodesign Directive (2009/125/EC) Lot 20 when used with our Thermostatic Element.



Material
Stainless Steel

25

Year
Guarantee



Next Working
Day Delivery



EURO NORM
442

C: CENTRAL HEATING | E: ELECTRIC | D:DUAL FUEL

STAINLESS STEEL



Can be mounted left or right hand side



polished

CAPELLI

Image shown 1235 X 500 polished

Overall Height mm	Dimension Width mm	Pipe Centres mm	Wall to Pipe Centres mm	Wall Distance mm	Fuel Type	Heat Outputs		RRP PRICES EX.VAT
						Btu	Watts	
800	500	50	80-95	105-120	C/E/D	1611	472	£410.00
1235	500	50	80-95	105-120	C/E/D	2461	722	£625.00
1525	500	50	80-95	105-120	C/E/D	3008	882	£750.00

This product conforms to European Ecodesign Directive (2009/125/EC) Lot 20 when used with our Thermostatic Element.





STAINLESS STEEL

Can be mounted left or right hand side

polished

LOVERE

Image shown 1230 X 500 polished

Overall Height mm	Dimension Width mm	Pipe Centres mm	Wall to Pipe Centres mm	Wall Distance mm	Fuel Type	Heat Outputs		RRP PRICES EX.VAT
						Btu	Watts	
690	500	50	80-95	105-120	C/E/D	1173	344	£380.00
960	500	50	80-95	105-120	C/E/D	1817	533	£520.00
1230	500	50	80-95	105-120	C/E/D	2531	742	£650.00

This product conforms to European Ecodesign Directive (2009/125/EC) Lot 20 when used with our Thermostatic Element.



Material
Stainless Steel

25

Year
Guarantee



Next Working
Day Delivery



C: CENTRAL HEATING | E: ELECTRIC | D:DUAL FUEL

STAINLESS STEEL



brushed

ENTICE

Image shown 1200 X 500 brushed

Overall Height mm	Dimension Width mm	Pipe Centres mm	Wall to Pipe Centres mm	Wall Distance mm	Fuel Type	Heat Outputs		RRP PRICES EX.VAT
						Btu	Watts	
770	500	50	80-95	105-120	C/E/D	2305	676	£554.40
1200	500	50	80-95	105-120	C/E/D	3598	1055	£824.67
1700	500	50	80-95	105-120	C/E/D	5183	1520	£1.183.88

This product conforms to European Ecodesign Directive (2009/125/EC) Lot 20 when used with our Thermostatic Element.





Can be mounted left or right hand side



polished

RICADI

Image shown 1140 X 500 polished

Overall Height mm	Dimension Width mm	Pipe Centres mm	Wall to Pipe Centres mm	Wall Distance mm	Fuel Type	Heat Outputs		RRP PRICES EX.VAT
						Btu	Watts	
840	500	50	80-95	105-120	C/E/D	2404	705	£550.00
1140	500	50	80-95	105-120	C/E/D	3188	935	£750.00
1440	500	50	80-95	105-120	C/E/D	3890	1141	£900.00

This product conforms to European Ecodesign Directive (2009/125/EC) Lot 20 when used with our Thermostatic Element.



Material
Stainless Steel

25 Year
Guarantee

Next Working
Day Delivery

EN 442

C: CENTRAL HEATING | E: ELECTRIC | D: DUAL FUEL 87

STAINLESS STEEL



polished

BIVANO

Overall Height mm	Dimension Width mm	Pipe Centres mm	Wall to Pipe Centres mm	Wall Distance mm	Fuel Type	Heat Outputs		RRP PRICES EX.VAT
						Btu	Watts	
300	800	50	105-120	140-155	C	1213	356	£409.20





SQUARE

Overall Height mm	Dimension Width mm	Pipe Centres mm	Wall to Pipe Centres mm	Wall Distance mm	Fuel Type	Heat Outputs		RRP PRICES EX.VAT
						Btu	Watts	
450	450	50	105-120	140-155	C	747	219	£320.00



Material
Stainless Steel

25

Year
Guarantee



Next Working
Day Delivery



STAINLESS STEEL



TROISI

Overall Height mm	Dimension Width mm	Pipe Centres mm	Wall to Pipe Centres mm	Wall Distance mm	Fuel Type	Heat Outputs		RRP PRICES EX.VAT
						Btu	Watts	
294	532	462	67	300	C	708	208	£275.00





STAINLESS STEEL

ADENA

Overall Height mm	Dimension Width mm	Pipe Centres mm	Wall to Pipe Centres mm	Wall Distance mm	Fuel Type	Heat Outputs		RRP PRICES EX.VAT
						Btu	Watts	
1300	532	462	67	300	C/E/D	3253	954	£518.00

This product conforms to European Ecodesign Directive (2009/125/EC) Lot 20 when used with our Thermostatic Element.

STAINLESS STEEL



polished brushed

ARDEN

Image shown 1000 X 500 brushed


Overall Height mm	Dimension Width mm	Pipe Centres mm	Wall to Pipe Centres mm	Wall Distance mm	Fuel Type	Heat Outputs		RRP PRICES EX.VAT
						Btu	Watts	
500	500	470	80-95	95-110	C/E/D	867	254	£245.00
1000	500	470	80-95	95-110	C/E/D	1704	500	£430.00

This product conforms to European Ecodesign Directive (2009/125/EC) Lot 20 when used with our Thermostatic Element.





polished



brushed

MINA

Image shown 1170 X 480 brushed

Overall Height mm	Dimension Width mm	Pipe Centres mm	Wall to Pipe Centres mm	Wall Distance mm	Fuel Type	Heat Outputs		RRP PRICES EX.VAT
						Btu	Watts	
750	480	440	80-95	95-110	C/E/D	1208	354	£277.20
1170	480	440	80-95	95-110	C/E/D	1884	552	£381.15

This product conforms to European Ecodesign Directive (2009/125/EC) Lot 20 when used with our Thermostatic Element.



Material
Stainless Steel

25

Year
Guarantee



Next Working
Day Delivery

EN 442

STAINLESS STEEL




polished

RIESI

Overall Height mm	Dimension Width mm	Pipe Centres mm	Wall to Pipe Centres mm	Wall Distance mm	Fuel Type	Heat Outputs		RRP PRICES EX.VAT
						Btu	Watts	
1200	600	50	80-95	155-170	C/E/D	2818	826	£616.00

This product conforms to European Ecodesign Directive (2009/125/EC) Lot 20 when used with our Thermostatic Element.



polished




KREON

Image shown 1160 X 500 polished

Overall Height mm	Dimension Width mm	Pipe Centres mm	Wall to Pipe Centres mm	Wall Distance mm	Fuel Type	Heat Outputs		RRP PRICES EX.VAT
						Btu	Watts	
780	500	460	85-100	120-135	C/E/D	2602	763	£480.00
1160	500	460	85-100	120-135	C/E/D	3223	945	£730.00

This product conforms to European Ecodesign Directive (2009/125/EC) Lot 20 when used with our Thermostatic Element.

STAINLESS STEEL



polished

SORENTO

Image shown 1106 X 600 polished

Overall Height mm	Dimension Width mm	Pipe Centres mm	Wall to Pipe Centres mm	Wall Distance mm	Fuel Type	Heat Outputs		RRP PRICES EX.VAT
						Btu	Watts	
800	600	50	80-95	125-140	C/E/D	2859	838	£470.00
1106	600	50	80-95	125-140	C/E/D	3815	1119	£640.00

This product conforms to European Ecodesign Directive (2009/125/EC) Lot 20 when used with our Thermostatic Element.





STAINLESS STEEL

PIZZO

Overall Height mm	Dimension Width mm	Pipe Centres mm	Wall to Pipe Centres mm	Wall Distance mm	Fuel Type	Heat Outputs		RRP PRICES EX.VAT
						Btu	Watts	
1000	600	50	80-95	125-140	C/E/D	2192	643	£429.00

This product conforms to European Ecodesign Directive (2009/125/EC) Lot 20 when used with our Thermostatic Element.



Material
Stainless Steel

25

Year
Guarantee



Next Working
Day Delivery

EN 442

C: CENTRAL HEATING | E: ELECTRIC | D:DUAL FUEL



NEROX SINGLE

Image shown 600 X 826 single polished

Overall Height mm	Dimension Width mm	Pipe Centres mm	Wall to Pipe Centres mm	Wall Distance mm	Fuel Type	Heat Outputs		RRP PRICES EX.VAT
						Btu	Watts	
600	413	413	65	103	C/E/D	1577	462	£224.60
600	590	590	65	103	C/E/D	2254	661	£265.65
600	826	826	65	103	C/E/D	3155	925	£352.59
600	1003	1003	65	103	C/E/D	3884	1139	£416.59
600	1180	1180	65	103	C/E/D	4508	1322	£480.59

This product conforms to European Ecodesign Directive (2009/125/EC) Lot 20 when used with our Thermostatic Element.





NEROX DOUBLE

Image shown 600 X 826 double polished

Overall Height mm	Dimension Width mm	Pipe Centres mm	Wall to Pipe Centres mm	Wall Distance mm	Fuel Type	Heat Outputs		RRP PRICES EX.VAT
						Btu	Watts	
600	413	413	65	103	C/E/D	2523	740	£357.42
600	590	590	65	103	C/E/D	3606	1057	£470.93
600	826	826	65	103	C/E/D	5048	1480	£627.90
600	1003	1003	65	103	C/E/D	6134	1799	£724.50
600	1180	1180	65	103	C/E/D	7212	2115	£845.25

This product conforms to European Ecodesign Directive (2009/125/EC) Lot 20 when used with our Thermostatic Element.



Material
Stainless Steel

25

Year
Guarantee



Next Working
Day Delivery



EN 442


C: CENTRAL HEATING | E: ELECTRIC | D:DUAL FUEL

For pipe centre measurement including valves add/subtract 90mm accordingly

STAINLESS STEEL

NEROX SINGLE

Overall Height mm	Dimension Width mm	Pipe Centres mm	Wall to Pipe Centres mm	Wall Distance mm	Fuel Type	Heat Outputs		RRP PRICES EX.VAT
						Btu	Watts	
1800	295	295	65	103	C	3380	991	£398.48
1800	354	354	65	103	C	4055	1189	£474.14
1800	413	413	65	103	C	4732	1388	£531.30
1800	472	472	65	103	C	5409	1586	£629.60
1800	531	531	65	103	C	6084	1784	£709.50



polished

Image shown 1800 X 413 single polished



NEROX DOUBLE

Overall Height mm	Dimension Width mm	Pipe Centres mm	Wall to Pipe Centres mm	Wall Distance mm	Fuel Type	Heat Outputs		RRP PRICES EX.VAT
						Btu	Watts	
1800	295	295	65	103	C	5138	1507	£664.13
1800	354	354	65	103	C	6165	1808	£790.42
1800	413	413	65	103	C	7192	2109	£893.55
1800	472	472	65	103	C	8222	2411	£1,040.80
1800	531	531	65	103	C	9249	2712	£1,174.64



Image shown 1800 X 413 double polished



Material
Stainless Steel

25 Year
Guarantee

Next Working
Day Delivery

EN 442

C: CENTRAL HEATING | E: ELECTRIC | D:DUAL FUEL

For pipe centre measurement including valves add/subtract 90mm accordingly

STAINLESS STEEL



NEROX SINGLE

Image shown 600 X 826 single brushed

Overall Height mm	Dimension Width mm	Pipe Centres mm	Wall to Pipe Centres mm	Wall Distance mm	Fuel Type	Heat Outputs		RRP PRICES EX.VAT
						Btu	Watts	
600	413	413	65	103	C/E/D	1577	462	£224.60
600	590	590	65	103	C/E/D	2254	661	£265.65
600	826	826	65	103	C/E/D	3155	925	£352.59
600	1003	1003	65	103	C/E/D	3884	1139	£416.59
600	1180	1180	65	103	C/E/D	4508	1322	£480.59

This product conforms to European Ecodesign Directive (2009/125/EC) Lot 20 when used with our Thermostatic Element.



brushed

NEROX DOUBLE

Image shown 600 X 826 double brushed

Overall Height mm	Dimension Width mm	Pipe Centres mm	Wall to Pipe Centres mm	Wall Distance mm	Fuel Type	Heat Outputs		RRP PRICES EX.VAT
						Btu	Watts	
600	413	413	65	103	C/E/D	2523	740	£357.42
600	590	590	65	103	C/E/D	3606	1057	£470.93
600	826	826	65	103	C/E/D	5048	1480	£627.90
600	1003	1003	65	103	C/E/D	6134	1799	£724.50
600	1180	1180	65	103	C/E/D	7212	2115	£845.25

This product conforms to European Ecodesign Directive (2009/125/EC) Lot 20 when used with our Thermostatic Element.



Material
Stainless Steel



Year
Guarantee



Next Working
Day Delivery



C: CENTRAL HEATING | E: ELECTRIC | D:DUAL FUEL
For pipe centre measurement including valves add/subtract 90mm accordingly

NEROX SINGLE

Overall Height mm	Dimension Width mm	Pipe Centres mm	Wall to Pipe Centres mm	Wall Distance mm	Fuel Type	Heat Outputs		RRP PRICES EX.VAT
						Btu	Watts	
1800	295	295	65	103	C	3380	991	£398.48
1800	354	354	65	103	C	4055	1189	£474.14
1800	413	413	65	103	C	4732	1388	£531.30
1800	472	472	65	103	C	5409	1586	£629.60
1800	531	531	65	103	C	6084	1784	£709.50



Image shown 1800 X 413 single brushed



NEROX DOUBLE

Overall Height mm	Dimension Width mm	Pipe Centres mm	Wall to Pipe Centres mm	Wall Distance mm	Fuel Type	Heat Outputs		RRP PRICES EX.VAT
						Btu	Watts	
1800	295	295	65	103	C	5138	1507	£664.13
1800	354	354	65	103	C	6165	1808	£790.42
1800	413	413	65	103	C	7192	2109	£893.55
1800	472	472	65	103	C	8222	2411	£1,040.80
1800	531	531	65	103	C	9249	2712	£1,174.64

brushed

Image shown 1800 X 413 double brushed



Material
Stainless Steel

25

Year
Guarantee



Next Working
Day Delivery



C: CENTRAL HEATING | E: ELECTRIC | D:DUAL FUEL
For pipe centre measurement including valves add/subtract 90mm accordingly

STAINLESS STEEL



polished

ARTENA SINGLE

Image shown 590 X 1000 single polished

Overall Height mm	Dimension Width mm	Pipe Centres mm	Wall to Pipe Centres mm	Wall Distance mm	Fuel Type	Heat Outputs		RRP PRICES EX.VAT
						Btu	Watts	
590	400	360	65	103	C/E/D	1719	504	£239.20
590	600	560	65	103	C/E/D	2579	756	£324.30
590	800	760	65	103	C/E/D	3439	1009	£410.55
590	1000	960	65	103	C/E/D	4298	1260	£496.80
590	1200	1160	65	103	C/E/D	5158	1513	£581.90

This product conforms to European Ecodesign Directive (2009/125/EC) Lot 20 when used with our Thermostatic Element.



polished

ARTENA DOUBLE

Image shown 590 X 1000 double polished

Overall Height mm	Dimension Width mm	Pipe Centres mm	Wall to Pipe Centres mm	Wall Distance mm	Fuel Type	Heat Outputs		RRP PRICES EX.VAT
						Btu	Watts	
590	400	360	65	103	C/E/D	2383	699	£349.60
590	600	560	65	103	C/E/D	4023	1180	£512.90
590	800	760	65	103	C/E/D	5364	1573	£669.30
590	1000	960	65	103	C	6706	1967	£832.60
590	1200	1160	65	103	C	8047	2360	£989.00

This product conforms to European Ecodesign Directive (2009/125/EC) Lot 20 when used with our Thermostatic Element.



Material
Stainless Steel

25

Year
Guarantee



Next Working
Day Delivery

EN 442

C: CENTRAL HEATING | E: ELECTRIC | D: DUAL FUEL 107



brushed

ARTENA SINGLE

Image shown 590 X 1200 single brushed

Overall Height mm	Dimension Width mm	Pipe Centres mm	Wall to Pipe Centres mm	Wall Distance mm	Fuel Type	Heat Outputs		RRP PRICES EX.VAT
						Btu	Watts	
590	400	360	65	103	C/E/D	1719	504	£239.20
590	600	560	65	103	C/E/D	2579	756	£324.30
590	800	760	65	103	C/E/D	3439	1009	£410.55
590	1000	960	65	103	C/E/D	4298	1260	£496.80
590	1200	1160	65	103	C/E/D	5158	1513	£581.90

This product conforms to European Ecodesign Directive (2009/125/EC) Lot 20 when used with our Thermostatic Element.





brushed

ARTENA DOUBLE

Image shown 590 X 1200 double brushed

Overall Height mm	Dimension Width mm	Pipe Centres mm	Wall to Pipe Centres mm	Wall Distance mm	Fuel Type	Heat Outputs		RRP PRICES EX.VAT
						Btu	Watts	
590	400	360	65	103	C/E/D	2383	699	£349.60
590	600	560	65	103	C/E/D	4023	1180	£512.90
590	800	760	65	103	C/E/D	5364	1573	£669.30
590	1000	960	65	103	C	6706	1967	£832.60
590	1200	1160	65	103	C	8047	2360	£989.00

This product conforms to European Ecodesign Directive (2009/125/EC) Lot 20 when used with our Thermostatic Element.



Material
Stainless Steel



25 Year
Guarantee



Next Working
Day Delivery



C: CENTRAL HEATING | E: ELECTRIC | D: DUAL FUEL 109

STAINLESS STEEL



LUNA FLAT

Overall Height mm	Dimension Width mm	Pipe Centres mm	Wall to Pipe Centres mm	Wall Distance mm	Fuel Type	Heat Outputs		RRP PRICES EX.VAT
						Btu	Watts	
600	300	268	50-60	65-70	C/E/D	881	258	£131.00
720	350	318	50-60	65-70	C/E/D	1346	395	£156.00
1200	350	318	50-60	65-70	C/E/D	2384	699	£223.00
1500	350	318	50-60	65-70	C/E/D	2799	821	£285.00
430	500	468	50-60	65-70	C/E/D	970	284	£125.00
720	500	468	50-60	65-70	C/E/D	1935	567	£174.00
1200	500	468	50-60	65-70	C/E/D	2660	780	£250.00
1500	500	468	50-60	65-70	C/E/D	3544	1039	£322.00
430	600	568	50-60	65-70	C/E/D	1109	325	£136.00
720	600	568	50-60	65-70	C/E/D	2088	612	£192.00
1200	600	568	50-60	65-70	C/E/D	1385	406	£280.00
1500	600	568	50-60	65-70	C/E/D	3749	1099	£360.00



polished

This product conforms to European Ecodesign Directive (2009/125/EC) Lot 20 when used with our Thermostatic Element. Image shown 1200 X 500 polished



STAINLESS STEEL

EOS CURVED

Overall Height mm	Dimension Width mm	Pipe Centres mm	Wall to Pipe Centres mm	Wall Distance mm	Fuel Type	Heat Outputs		RRP PRICES EX.VAT
						Btu	Watts	
430	500	468	50-60	75-85	C/E/D	970	284	£130.00
720	500	468	50-60	75-85	C/E/D	1935	567	£178.00
1200	500	468	50-60	75-85	C/E/D	2660	780	£256.00
1500	500	468	50-60	75-85	C/E/D	3544	1039	£330.00
430	600	568	50-60	83-93	C/E/D	1109	325	£140.00
720	600	568	50-60	83-93	C/E/D	2088	612	£196.00
1200	600	568	50-60	83-93	C/E/D	1385	406	£286.00
1500	600	568	50-60	83-93	C/E/D	3749	1099	£370.00



polished

This product conforms to European Ecodesign Directive (2009/125/EC) Lot 20 when used with our Thermostatic Element. Image shown 1500 X 500 polished



Material
Stainless Steel

25

Year
Guarantee



Next Working
Day Delivery

EN 442

C: CENTRAL HEATING | E: ELECTRIC | D:DUAL FUEL 111

COLUMN RADIATOR



Image shown 3 column 1800 X 380 white



Optional insertable feet
Available for all column radiators

2 COLUMN COLONA VERTICAL





Overall Height mm	Dimension Width mm	Pipe Centres mm	Wall to Pipe Centres mm	Wall Distance mm	Fuel Type	Heat Outputs		RRP PRICES EX.VAT	RAL COLOUR PRICES EX.VAT
						Btu	Watts		
1500	200	200	66	98	C	2238	656	£117.30	£179.40
1500	290	290	66	98	C	3352	983	£174.80	£258.75
1500	380	380	66	98	C	4477	1313	£236.90	£341.55
1800	200	200	66	98	C	2641	774	£121.90	£185.15
1800	290	290	66	98	C	3959	1161	£179.40	£263.35
1800	380	380	66	98	C	5282	1549	£241.50	£345.00

3 COLUMN COLONA VERTICAL


Overall Height mm	Dimension Width mm	Pipe Centres mm	Wall to Pipe Centres mm	Wall Distance mm	Fuel Type	Heat Outputs		RRP PRICES EX.VAT	RAL COLOUR PRICES EX.VAT
						Btu	Watts		
1500	200	200	68	118	C	3021	886	£126.50	£189.75
1500	290	290	68	118	C	4531	1329	£190.90	£274.85
1500	380	380	68	118	C	6041	1772	£257.60	£362.25
1800	200	200	68	118	C	3592	1053	£131.10	£194.35
1800	290	290	68	118	C	5387	1580	£195.50	£279.45
1800	380	380	68	118	C	7184	2107	£262.20	£366.85

RAL COLOURS CHART

REINA now offer 40 exciting RAL colour options on dedicated Radiators
 All finishes are powder coated and are available within 7 working days from point of order
 (subject to stock availability). Ral Painted Radiators are Non-Cancellable

							
1000 Green Beige	1001 Pale Beige	1013 Oyster White	1015 Light Ivory	5010 Gentian Blue	5015 Middle Sky Blue	6005 Light Moss	6009 Fir Green
							
1021 Cadmium Yellow	1023 Traffic Yellow	1036 Pearl Gold	2003 Pastel Orange	6029 Mint Green	7015 Slate Grey	7016 Anthracite Grey	7030 Stone Grey
							
2004 Pure Orange	2008 Light Red Orange	3000 Flame Red	3001 Signal Red	7032 Grey	7035 Pale Grey	7040 Window Grey	7042 Traffic Grey A
							
3002 Carmine Red	3003 Ruby Red	3004 Purple Red	3005 Wine Red	8003 Clay Brown	8017 Chocolate Brown	8019 Grey Brown	9001 Cream
							
5001 Green Blue	5002 Ultramarine Blue	5003 Dark Sapphire Blue	5005 Signal Blue	9002 Grey White	9005 Jet Black	9006 White Aluminum	9007 Grey Aluminium

COLUMN RADIATOR



Optional insertable feet
Available for all column radiators
Image shown 3 column 600 X 1010 white



2 COLUMN COLONA

Overall Height mm	Dimension Width mm	Pipe Centres mm	Wall to Pipe Centres mm	Wall Distance mm	Fuel Type	Heat Outputs		RRP PRICES EX.VAT	RAL COLOUR PRICES EX.VAT
						Btu	Watts		
500	605	605	66	98	C/E/D	2540	745	£158.70	£271.40
500	785	785	66	98	C/E/D	3223	945	£207.00	£347.30
500	1010	1010	66	98	C/E/D	4300	1261	£267.95	£442.75
500	1190	1190	66	98	C/E/D	5081	1490	£316.25	£518.65
600	605	605	66	98	C/E/D	3022	886	£164.45	£277.15
600	785	785	66	98	C/E/D	3951	1159	£215.05	£355.35
600	1010	1010	66	98	C/E/D	5112	1499	£278.30	£453.10
600	1190	1190	66	98	C/E/D	6043	1772	£328.90	£531.30

3 COLUMN COLONA

Overall Height mm	Dimension Width mm	Pipe Centres mm	Wall to Pipe Centres mm	Wall Distance mm	Fuel Type	Heat Outputs		RRP PRICES EX.VAT	RAL COLOUR PRICES EX.VAT
						Btu	Watts		
300	1010	1010	68	118	C/E/D	3603	1057	£241.50	£416.30
300	1190	1190	68	118	C/E/D	4257	1248	£285.20	£487.60
300	1370	1370	68	118	C/E/D	4912	1440	£328.90	£558.90
500	605	605	68	118	C/E/D	3501	1027	£167.90	£280.60
500	785	785	68	118	C/E/D	4579	1343	£220.80	£361.10
500	1010	1010	68	118	C/E/D	4926	1445	£287.50	£462.30
500	1190	1190	68	118	C/E/D	7005	2054	£335.80	£538.20
500	1370	1370	68	118	C	8081	2370	£388.70	£618.70
600	605	605	68	118	C/E/D	4136	1213	£175.95	£288.65
600	785	785	68	118	C/E/D	5387	1580	£230.00	£370.30
600	1010	1010	68	118	C/E/D	6972	2045	£299.00	£473.80
600	1190	1190	68	118	C/E/D	8241	2417	£351.90	£554.30
600	1370	1370	68	118	C	9508	2788	£404.80	£634.80

4 COLUMN COLONA

Overall Height mm	Dimension Width mm	Pipe Centres mm	Wall to Pipe Centres mm	Wall Distance mm	Fuel Type	Heat Outputs		RRP PRICES EX.VAT	RAL COLOUR PRICES EX.VAT
						Btu	Watts		
300	1010	1010	94	163	C/E/D	4649	1363	£347.30	£522.10
300	1190	1190	94	163	C/E/D	5493	1611	£411.70	£614.10
300	1370	1370	94	163	C/E/D	6339	1859	£473.80	£703.80
500	605	605	94	163	C/E/D	4463	1309	£473.46	£331.20
500	785	785	94	163	C/E/D	5837	1712	£544.87	£425.50
500	1010	1010	94	163	C/E/D	7553	2215	£365.70	£540.50
500	1190	1190	94	163	C	8927	2618	£544.47	£634.80
500	1370	1370	94	163	C	10301	3021	£626.60	£729.10
600	605	605	94	163	C/E/D	5287	1550	£225.40	£338.10
600	785	785	94	163	C/E/D	6915	2028	£294.40	£434.70
600	1010	1010	94	163	C/E/D	8949	2624	£384.10	£558.90
600	1190	1190	94	163	C	10575	3101	£450.80	£653.20
600	1370	1370	94	163	C	12201	3578	£522.10	£752.10
COLONA FEET								£51.75	£55.00

This product conforms to European Ecodesign Directive (2009/125/EC) Lot 20 when used with our Thermostatic Element.



Material
Steel

5

Year
Guarantee



Next Working
Day Delivery



C: CENTRAL HEATING | E: ELECTRIC | D:DUAL FUEL

For pipe centre measurement including valves add/subtract 90mm accordingly

TOWEL RAIL



25_{mm}
TUBES



Image shown 1200 X 500 chrome curved

DIVA - 25mm TOWEL RAIL
CHROME FLAT & CURVED OPTIONS

Overall Height mm	Dimension Width mm	Pipe Centres mm	Wall to Pipe Centres mm	Wall Distance mm	Tube Diameter mm	Fuel Type	Heat Outputs	
							Btu	Watts
600	300	260	70-85	85-100	25	C/E/D	680	199
800	300	260	70-85	85-100	25	C/E/D	820	240
1200	300	260	70-85	85-100	25	C/E/D	1438	422
1600	300	260	70-85	85-100	25	C/E/D	1982	581
800	400	360	70-85	85-100	25	C/E/D	1035	304
1000	400	360	70-85	85-100	25	C/E/D	1508	442
1200	400	360	70-85	85-100	25	C/E/D	1980	581
1600	400	360	70-85	85-100	25	C/E/D	2460	721
1800	400	360	70-85	85-100	25	C	2710	795
800	450	410	70-85	85-100	25	C/E/D	1103	323
1200	450	410	70-85	85-100	25	C/E/D	2082	611
1800	450	410	70-85	85-100	25	C	2988	876
800	500	460	70-85	85-100	25	C/E/D	1238	363
1000	500	460	70-85	85-100	25	C/E/D	1721	505
1200	500	460	70-85	85-100	25	C/E/D	2205	647
1400	500	460	70-85	85-100	25	C/E/D	2489	730
1600	500	460	70-85	85-100	25	C/E/D	2870	842
1800	500	460	70-85	85-100	25	C	3310	971
800	600	560	70-85	85-100	25	C/E/D	1363	400
1000	600	560	70-85	85-100	25	C/E/D	1860	545
1200	600	560	70-85	85-100	25	C/E/D	2385	699
1400	600	560	70-85	85-100	25	C/E/D	2752	807
1600	600	560	70-85	85-100	25	C/E/D	3121	915
1800	600	560	70-85	85-100	25	C	3556	1043
800	750	710	70-85	85-100	25	C/E/D	1534	450
1200	750	710	70-85	85-100	25	C/E/D	2570	754
1800	750	710	70-85	85-100	25	C	3852	1130

This product conforms to European Ecodesign Directive (2009/125/EC) Lot 20 when used with our Thermostatic Element.



MODAL TRV
Corner Chrome Valve
£33.00



MODAL TRV
Straight Chrome Valve
£33.00



MODAL TRV
Angled Chrome Valve
£33.00

valves sold separately

DIVA 25mm WHITE FLAT & CURVED OPTIONS



Overall Height mm	Dimension Width mm	Pipe Centres mm	Wall to Pipe Centres mm	Wall Distance mm	Tube Diameter mm	Fuel Type	Heat Outputs	
							Btu	Watts
800	300	260	70-85	85-100	25	C/E/D	984	289
1200	300	260	70-85	85-100	25	C/E/D	1725	508
800	400	360	70-85	85-100	25	C/E/D	1380	405
1200	400	360	70-85	85-100	25	C/E/D	2070	607
1800	400	360	70-85	85-100	25	C	3104	910
800	500	460	70-85	85-100	25	C/E/D	1650	484
1200	500	460	70-85	85-100	25	C/E/D	2474	728
1800	500	460	70-85	85-100	25	C	3711	1088
800	600	560	70-85	85-100	25	C/E/D	1815	532
1200	600	560	70-85	85-100	25	C/E/D	2722	798
1800	600	560	70-85	85-100	25	C	4084	1198

This product conforms to European Ecodesign Directive (2009/125/EC) Lot 20 when used with our Thermostatic Element.



MODAL TRV
Corner Chrome Valve

£33.00



MODAL TRV
Corner Black Valve

£33.00



MODAL TRV
Corner White Valve

£33.00

valves sold separately

DIVA 25mm BLACK FLAT & CURVED OPTIONS
(TEXTURED BLACK)



Overall Height mm	Dimension Width mm	Pipe Centres mm	Wall to Pipe Centres mm	Wall Distance mm	Tube Diameter mm	Fuel Type	Heat Outputs	
							Btu	Watts
800	500	460	70-85	85-100	25	C/E/D	1650	484
1200	500	460	70-85	85-100	25	C/E/D	2474	728
1800	500	460	70-85	85-100	25	C	3711	1088
800	600	560	70-85	85-100	25	C/E/D	1815	532
1200	600	560	70-85	85-100	25	C/E/D	2722	798
1800	600	560	70-85	85-100	25	C	4084	1198

This product conforms to European Ecodesign Directive (2009/125/EC) Lot 20 when used with our Thermostatic Element.



Portland
Angled Chrome Valve
£16.50



Portland
Angled Brushed Valve
£20.00



Portland
Angled White Valve
£20.00



Portland
Angled Anthracite Valve
£20.00



Portland
Chrome Straight Valve
£16.50



Portland
Brushed Straight Valve
£20.00



Portland
Straight White Valve
£20.00



Portland
Straight Anthracite Valve
£20.00



Crova
Chrome Corner Valve
£27.50



Crova
Corner Brushed Valve
£27.50



Crova
Corner White Valve
£27.50



Crova
Corner Anthracite Valve
£27.50

VALVES



LOGE
Angled Chrome Valve
£22.00



LOGE
Angled Brushed Valve
£28.50



LOGE
Angled Anthracite Valve
£28.50



LOGE
Straight Chrome Valve
£22.00



LOGE
Straight Brushed Valve
£28.50



LOGE
Straight Anthracite Valve
£28.50



MODAL TRV
Corner Brushed Valve
£38.50



MODAL TRV
Straight Brushed Valve
£38.50



MODAL TRV
Angled Brushed Valve
£38.50



MODAL TRV
Corner Bronze Valve
£38.50



MODAL TRV
Straight Bronze Valve
£38.50



MODAL TRV
Angled Bronze Valve
£38.50



MODAL TRV
Corner Chrome Valve
£33.00



MODAL TRV
Straight Chrome Valve
£33.00



MODAL TRV
Angled Chrome Valve
£33.00



MODAL TRV
Corner Black Valve
£33.00



MODAL TRV
Straight Black Valve
£33.00



MODAL TRV
Angled Black Valve
£33.00



MODAL TRV
Corner Oiled Bronze Valve
£38.50



MODAL TRV
Straight Oiled Bronze Valve
£38.50



MODAL TRV
Angled Oiled Bronze Valve
£38.50



MODAL TRV
Corner Anthracite Valve
£33.00



MODAL TRV
Straight Anthracite Valve
£33.00



MODAL TRV
Angled Anthracite Valve
£33.00



MODAL TRV
Corner White Valve
£33.00



MODAL TRV
Straight White Valve
£33.00



MODAL TRV
Angled White Valve
£33.00



Surrey
Angled Chrome Valve
£38.50



Kent
Angled Chrome Valve
£38.50



Bronte
Traditional Angled Valve
£26.50



Bronte
Traditional Straight Valve
£26.50



T-Piece Chrome
(Dual Fuel)
£8.00



T-Piece White
(Dual Fuel)
£8.00



T-Piece Anthracite
(Dual Fuel)
£8.00



Square Pipe Sleeving
Kits
£38.50



Chrome Pipe Kit
(200mm)
£16.50



Thermostatic Heating Element

Remote Control included
 7 day programmable electronic thermostat
 Selectable between room temperature and water temperature
 Open window detection build-in
 Rotatable display for horizontal or vertical use
 Available in three power options - 300w, 600w, 900w
 Conforms to European Ecodesign Directive (2009/125/EC) Lot 20
 £129.00



Optional white cap for standard element

Standard Heating Element

This product does not conform to European Ecodesign Directive (2009/125/EC) Lot 20 and should not be used to warm a room

Available in: 100(watts)

150 (watts)

250 (watts)

400 (watts)

600 (watts)

800 (watts)

£42.00



Wireless Programmable Thermostat

433MHz frequency for stable reception
 16A contacts
 °F or °C display
 5+1+1 Day settings with 4 periods per day
 Holiday & Hold modes
 Separate settings for Monday-Friday, Saturday and Sunday
 Back Light
 Channels set by DIP switch for multiple operation
 100m maximum operating distance (open site)
 £109.00

TERMS & CONDITIONS

Terms

These conditions of Sale are expressly incorporated as terms of any orders, which we accept or other conditions proposed by the Buyer will not apply to the Contract unless expressly accepted in writing to the seller. The Seller reserves the right to charge interest on late payments in line with the late payment of commercial debts act. All other accounts must be settled at the time of order.

Delivery

All quoted dispatched/delivery dates are given bona fide, and are such as we expect to achieve and every effort will be made to adhere to them. The Seller shall not accept any liability for failure to despatch within such a time. Time for dispatch shall be extended for a reasonable time if delay is caused by instructions or lack of instructions from you. Despatch time maybe extended during holiday periods and company shut downs.

Please note:-

- Packaging is free and non returnable
- Delivery is to the nearest hard stand area
- The consignee is responsible for off-loading the goods
- The goods must be checked and signed for in the presence of the carrier
- Any damages and shortages must be reported in writing within two working days of delivery
- Failure to comply with any of the above may invalidate any claims
- We recommend that after you check the product on delivery that it is stored in its packaging to prevent damage.
- Atay Global cannot accept responsibility for items damaged after delivery.

Atay Global will ensure that goods are delivered in good order and cannot accept any responsibility for any claims that occur after delivery.

Signing of the delivery note will be determined as acceptance that goods have been delivered in good order at the time of delivery.

Carriage Charges

All prices are inclusive of carriage charges within the mainland of the United Kingdom. Exceptions are as follows Northern Ireland, Highlands of Scotland and Isles off the United Kingdom and Scotland, these areas carry a delivery charge premium. Please ask for a quotation and delivery timings. Please note: All valves and accessories carry a £5 low order delivery fee if ordered without a radiator.

Guarantee and Liability

Where the Seller is not the manufacturer of the goods we will use reasonable endeavours to make over to the Buyer the benefit of any warranty or guarantee given by the manufacturer. The guarantee is offered subject to the goods being installed, operated

by incorrectly use and installed by a competent approved installer. Any alterations to the specification using non-approved parts or correct installation shall invalidate the guarantee.

The seller shall have sole discretion deciding to replace or repair an item which agreed faulty. In cases of replacement the Company reserves the right to offer the nearest equivalent product where the original is not available.

The Sellers liability is limited to the repair or supply of replacement product and does not include cost incurred in effecting a replacement.

Under no circumstances will the Seller or his servants, agents or subcontractors be liable for any loss or damage of any kind whatsoever, (except arising from death or personal injury) whether consequential or otherwise caused directly or indirectly by any negligence on the Sellers part or part of any of the seller servants, agents or subcontractors in connection with or arising out of the manufacture or supply of the goods or in connection with any advice or statement given or made by or on the sellers behalf.

Cancellations

Orders cannot be cancelled except with the Seller's consent and on terms that will indemnify the Seller against loss.

Return of goods

Only in exceptional circumstances and by previous agreement with the seller will the Seller accept back for credit items that have been supplied against confirmed orders, providing the goods to be returned are new and adequately packed and unused. The net value of the goods returned will be credited to the buyer subject to a restocking fee.

Samples & Displays

All goods supplied for samples and displays are subject to agreed discounts and are for display only (and are NOT FOR RESALE), remain the property of the Seller until paid in full.

All heat outputs are shown at $\Delta T70C$, in compliance BSEN442 - All dimensions are given as an indication only.

NOTES

RAL COLOURS CHART

REINA now offer 40 exciting RAL colour options on dedicated Radiators

All finishes are powder coated and are available within 7 working days from point of order (subject to stock availability). Ral Painted Radiators are Non-Cancellable



1000 Green Beige



1001 Pale Beige



1013 Oyster White



1015 Light Ivory



1021 Cadmium Yellow



1023 Traffic Yellow



1036 Pearl Gold



2003 Pastel Orange



2004 Pure Orange



2008 Light Red Orange



3000 Flame Red



3001 Signal Red



3002 Carmine Red



3003 Ruby Red



3004 Purple Red



3005 Wine Red



5001 Green Blue



5002 Ultramarine Blue



5003 Dark Sapphire Blue



5005 Signal Blue



5010 Gentian Blue



5015 Middle Sky Blue



6005 Light Moss



6009 Fir Green



6029 Mint Green



7015 Slate Grey



7016 Anthracite Grey



7030 Stone Grey



7032 Grey



7035 Pale Grey



7040 Window Grey



7042 Traffic Grey A



8003 Clay Brown



8017 Chocolate Brown



8019 Grey Brown



9001 Cream



9002 Grey White



9005 Jet Black



9006 White Aluminum



9007 Grey Aluminium





Atay Global Ltd. Unit 6. Weybridge Farm. Stambourne Road. Great Yeldham. Essex, CO9 4RB
Tel: 01787 238540 | Fax: 01787 237991
www.reinadesign.co.uk | info@atayglobal.com

In the interest of continuing design, development and product development, we reserve the right to change colours, designs and product specifications or method of manufacture. Such changes may be made without prior notice and without incurring any obligation. Indications of the colourways throughout this brochure are as accurate as photographic and print processes will allow. This brochure does not form part of a contract of sale. e&oe